


DATASTARTM
TRAINING GUIDE



DataStar Training Guide

For DataStar Release 1.4

**Copyright © 1982
MicroPro International Corporation
33 San Pablo Avenue
San Rafael, California 94903 USA**

COPYRIGHT NOTICE

Copyright ©, 1982 by MicroPro International Corporation. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any human or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, or otherwise, without the express written permission of MicroPro International Corporation, San Rafael, California 94903 USA.

TRADEMARKS

WordStar®, DataStar™, WordMaster®, SuperSort™, SpellStar™, MailMerge™, CalcStar™, and MicroPro™ are trademarks of MicroPro International Corporation.

DISCLAIMER

MicroPro International Corporation makes no representations or warranties with respect to the contents hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Further, MicroPro International Corporation reserves the right to revise this publication and to make changes from time to time in the content hereof without obligation of MicroPro International Corporation to notify any person or organization of such revision or changes.

★★★

References are made throughout this manual to the Control Program for Microprocessors, commonly known as CP/M. CP/M is a trademark of Digital Research of Pacific Grove, California.

Contents

Page

What is DataStar?	v
How DataStar Works	viii
How to Use This Training Guide	x
Introductory Chapter	1
Getting Acquainted	I-1
Easy Beginnings	I-5
Chapter One: A Form Becomes a Record	1-1
Section A: Creating the Form	1-1
Section B: Creating and Finding Records	1-7
Chapter Two: Attributes	2-1
Section A: Assigning Attributes	2-1
Section B: How Attributes Work	2-13
Chapter Three: The Order Form's Attributes	3-1
Section A: Reviewing the Attributes	3-1
Section B: Testing the Attributes	3-5
Chapter Four: Advanced DataStar	4-1
Section A: Designing a Usable Form	4-1
Section B: Data Entry	4-15
Chapter Five: Summary of Batch File and File Maintenance Procedures	5-1
Section A: Batch File	5-1
Section B: File Maintenance	5-7

Appendix A: Attributes	A-1
Appendix B: Error messages	B-1
Appendix C: Sample forms	C-1
Appendix D: Quick Guides to DataStar	D-1
DataStar User's Map.....	D-7
Appendix E: The DataStar Family	E-1
Index	Index-1

What Is DataStar?



DATASTAR is a comprehensive key-to-disk data entry, control, and retrieval program. One of DataStar's most outstanding features is its **FLEXIBILITY**. This flexibility allows you to:

- Design the input format (form) that suits your needs. Copy the forms you're using now; no need to change. Your form can be as small as one page or as large as three pages wide and several pages long.

- Specify how DataStar is to help you during the data entry process. You can assign field characteristics that tell DataStar to:

Protect against incorrect entry — DataStar will refuse to store a record until an operator enters the correct data.

Provide accurate calculations for you — DataStar will accurately calculate temporary or permanent data correct to fourteen digits.

Gather information from a separate reference file — DataStar will access another file and supply the information in the appropriate field on your current form.

- Organize your files in a way that best suits you — by name, amount, or customer number.
- Handle high volume data entry jobs with Batch File processing.
- Retrieve your records three different ways.

By scanning your entire file.


By finding one specific record.

By locating groups of records (e.g., all records from New York).

- Use DataStar as a data entry system with other programs. DataStar can easily be used as the data entry portion of your inventory, accounting, or employee applications programs without requiring extensive modifications to your existing software.
- Use DataStar with most CP/M* supported programming languages, including BASIC, FORTRAN, and COBOL. DataStar can construct data files for use with programs written in any of these languages. This feature allows greater programming flexibility and reduces programming costs.

*CP/M is a trademark of Digital Research

- Help Screens provide all the commands you will need.
- Extra Help Messages provide explanations of procedures.
- Prompts are flashed on the screen to tell you what to do next or to explain an error.




How DataStar Works

DataStar has two parts: FORMGEN and DATASTAR.

In **FormGen** you create a form or input format uniquely designed to meet your data entry requirements.

In **FormGen** you design fields or blanks in which data will be entered later on. Each box (or blank) is accompanied by background text or labels. At this time, you have the option of assigning special characteristics (attributes) to these fields. These characteristics will be activated during data entry to protect against errors, to provide calculations or data from a reference file, or to provide format conditions.



Name: _____	Customer # _____
Address: _____	
City: _____	
State: _____	Zip Code: _____
Phone: _____	
Previous Balance: _____	
Amount Charged: _____	
Balance Due: _____	

Invoice Form

Name: Carl South	Customer #111111
Address: 20 Baltimore Ave.	
City: Los Angeles	
State: CA	Zip Code: 90003
Phone: 7772121	
Previous Balance:	\$20
Amount Charged:	\$30
Balance Due:	\$50

Invoice Customer Record


In **DataStar** you enter information (data) on your form and store that data on a record in the data file. Once the data has been stored, it's called a **Record**.

Later on you can use **DataStar** to retrieve those records; and once you retrieve them, you can modify, delete, or print the records.

Because you create and store your form in **FormGen** and then move to **DataStar** for data entry, the following safeguards are in effect:

1. There's no chance of ruining your form during data entry.
2. One person can design the form, and another can enter the data. No matter who enters the data, it must always meet the specifications set up by the form "designer."

Quite simply, here's the way **DataStar** works:



How To Use This Training Guide

THE TEXT AND FORMAT OF THIS GUIDE ARE DESIGNED TO PROVIDE . . .

Quick access to important information.

- The chapter text is presented in a narrow column, easy to read format with clearly defined steps. You read the explanation and take the action (enter a command or press keys) that is described in boldface type.
- All new information or notes of caution are easily recognizable by a shaded grey area accompanied by one of these symbols:



- The index allows you to find the information you want quickly.
- Key concepts and procedures are listed in the chapter summaries.

Examples and guidelines that show DataStar's flexibility.

- The training examples used in Chapters One, Two, and Three demonstrate DataStar's numerous possibilities.
- Sample forms are included in Appendix C. These forms can help you design an original form that fits your needs.
- Chapter Four outlines all the necessary steps and considerations for original form creation, data entry, record storage and retrieval. By the end of this chapter, DataStar will be doing your data entry tasks for you.

A thorough guide to DataStar, appropriate for operators with different levels of experience.

- While an inexperienced operator may work through the entire guide, an experienced operator may select just a few chapters for study, or simply follow the User's Map. The following description of each chapter will clarify these possibilities.

GETTING ACQUAINTED AND THE INTRODUCTORY CHAPTER: These are a must for beginners. The Getting Acquainted Section defines many microcomputer terms and procedures, while the Introductory Chapter covers how to install DataStar, create a work disk, invoke FormGen, read the FormGen Help Screens, and exit. For the convenience of beginners, each step is organized in a DO and WHAT HAPPENS format.

CHAPTER ONE: This chapter covers all the required steps for opening a file, creating a form, entering data on that form, storing records, and retrieving those records.

CHAPTER TWO: This chapter begins the study of the optional characteristics (attributes) that you can assign to any form. In Section A you review the attribute list and assign several attributes to an Invoice Form. In Section B you test those attributes by entering both correct and incorrect data on the form.

CHAPTER THREE: This chapter completes the study of attributes. In Section A you review an Order Form and its numerous attribute assignments. In Section B you enter data on the form and see the many features and safeguards that attributes can provide.

CHAPTER FOUR: Only form designers need to complete this chapter. Here you are guided through all the steps necessary to transfer your data entry tasks to DataStar. In Section A you design an original form (using one of your existing forms or adapting one from

samples provided in Appendix C) and assign attributes to it. In Section B you enter data on that form and store, retrieve, and print records.

CHAPTER FIVE: This chapter is a summary of two important DataStar activities — Batch File processing (for large scale data entry jobs) and File Maintenance (for deleting marked records and sorting your file).

APPENDIX A: Explains each attribute clearly and simply.

APPENDIX B: Lists many of the error messages that could appear on your screen, as well as explains how to correct the errors.

APPENDIX C: Gives you sample forms and ideas for attribute assignments.

APPENDIX D: Contains the DataStar User's Map and quick guides to the FormGen/DataStar program. An experienced operator may find that these guides are all he/she needs to use DataStar; less experienced operators will find that these guides are excellent reminders.

APPENDIX E: Describes how to use DataStar with the MicroPro family of programs.

Introductory Chapter

Getting Acquainted

Some Terms You May Need To Know

The following concepts may be helpful when you begin to work on microcomputers. As we will frequently remind you:


There is no need to remember all these terms.
Just refer back to this list when you have terminology questions.

A COMPUTER SYSTEM includes hardware and software.

THE HARDWARE IS THE "NUTS AND BOLTS," INCLUDING THE COMPUTER, THE HARD DISKS AND DISK DRIVES, THE CRT (SCREEN) TERMINAL, AND THE PRINTER.

The **COMPUTER** contains the **Memory (RAM)**, and manipulates the incoming information. All data that you type is held in temporary memory (RAM) until you cause it to be stored either on a hard disk or a floppy disk. This permanent "saving" of data is initiated differently in various computer programs, but it is usually easy to tell where it takes place in a program. If you turn the computer off without saving your data on a disk, the data will be lost.

The **HARD DISKS** are permanent storage for large amounts of information (not all systems have them). The **DISK DRIVE(s)** spins the disk (either hard or floppy) while information is recorded on or retrieved from that disk.




The **LOGGED DISK DRIVE** is the disk drive you're working on: the logged disk drive is usually A when a CP/M system is started. The logged disk drive can be changed at the system prompt:


TYPE B: (changes logged drive to B)

PRESS RETURN

NOTE: We have used CP/M commands to demonstrate several housekeeping features such as copying files from one disk to another. If you do not use CP/M be sure to refer to your system manual and find the correct commands for your operating system.



The CRT terminal includes your screen and the keyboard. The terminal is your access to the computer. After you have started your system, the **SYSTEM PROMPT** (an example, A>) will be displayed on your screen. All commands are typed and then entered into the computer from the keyboard.



When you are working with DataStar, the **PRINTER** will provide a printout of any information that is on the screen or has been stored in a file.

As a good rule of thumb, turn your computer off when you won't be working on it for the next hour (remember to save any work in progress and remove your disks before turning off your system). Otherwise, you can enter a save command, then leave your work on the screen while you take a break.

THE SOFTWARE PROGRAM CONTROLS THE INTERACTION BETWEEN YOU AND THE COMPUTER.

The **OPERATING SYSTEM** is the collection of programs that "runs" the computer (e.g., CP/M). These programs are usually on system disks. In many computers, you insert your system disk and push the boot button to get the program running. Since operating system procedures vary, you will frequently be instructed to refer to your system manual.



The **FLOPPY DISKS** are flexible plastic (5¼" or 8") disks used to store programs and data. DataStar is distributed on a floppy disk.

Handle disks with care. Learn the correct way to insert disks in your system. Be careful not to touch or scratch the exposed areas.

MORE ABOUT DISKS

Don't worry if you do not understand the sample commands below. Later on you'll use these for reference.

COPYING disks, or files from disks, can be accomplished at the system prompt:

TYPE **Pip B:=A:*. *[v]** (copies entire disk from the one in drive A to the one in B drive)

TYPE **Pip B:=A:filename** (copies a specific file from A drive to B drive)

ERASING a disk (to reuse) can be accomplished at the system prompt:

TYPE **Era *.*** (erases entire disk)

TYPE **Era filename** (erases a specific file)

DISK CAPACITY is the number of characters (bytes) a disk can hold. An 8" single density disk may hold approximately 241K (243,892 characters). A small capacity 5¼" disk may have approximately 80K or more of space.

Doing a **status check** means checking how much space you have left on your disk. In CP/M this status check can be accomplished at the system prompt:

TYPE **Stat**

FILES

In DataStar, a **File** is a collection of records that have been entered and stored in the computer either on a hard or floppy disk. All information or data typed into the computer is only in temporary memory (RAM) until you cause the data to be stored permanently in a file. A file is identified by a filename of 1-8 characters.

Once you've created files (or had some provided for you), you can see a list of them on your **FILE DIRECTORY**. In CP/M you call up this list at the system prompt:

TYPE Dir (lists all files on logged disk drive)

IN DATASTAR

DataStar has two parts: FormGen is where you begin by creating a form. DataStar is where you enter data on the form (later on) to create new records or modify existing ones.

DataStar helps you every step of the way with **Help Screens** and **prompts**. Help screens, displayed at the top of your screen, list the commands you may need for work in progress. Prompts are displayed near the top of your screen anytime DataStar needs to ask you a question or instruct you about errors and procedures.

Invoking FormGen or DataStar means to call up the program for your use.

In DataStar the **CONTROL** Key is used in conjunction with another key to enter specific commands. When you see **PRESS CTRL J**, **PRESS** the **CONTROL** key *at the same time* you press J.

FOR QUICK REFERENCE

FORMGEN EXIT COMMANDS

(Be sure to hold the CTRL key down while you type the other letters.)

PRESS CTRL C B (save your work and boot the system)

PRESS CTRL C A Y (aborts any work in progress)

To Exit from the FormGen Attribute list use this command:

PRESS CTRL C C B

DATASTAR EXIT COMMAND

PRESS CTRL E E C

START-UP COMMANDS (at your system prompt)

TYPE FormGen filename

TYPE DataStar filename

Introductory Chapter

Easy Beginnings

Step 1 Start Up

DO: Follow this checklist for easy beginnings: (Because computers vary, consult your hardware manual for specific details.)

- Turn on your computer and terminal. Never turn your computer on or off with floppy disks in the disk drives.
- Switch on your printer, load it with paper, check the page alignment and the ribbon.
- Place a disk containing *your operating system* (e.g., a CP/M boot disk) in the disk drive.
- Boot the system.

WHAT HAPPENS: Your system prompt will appear on the screen.

You needn't worry: Your computer is a logical friend who will do what you tell it to do. If you make a typing or command mistake, this training guide will show you ways to recover from the error.

Step 2 Make a Work Disk

To simplify loading procedures later on, we recommend you do the following:

- a. Copy your operating system and the DataStar program (distribution disk) onto a new blank disk.* Keep your original DataStar distribution disk in a safe place.

* You must have a disk with at least 100K of space to accommodate these files. For systems that use smaller disks, consult your hardware manual or ask your dealer what is the most efficient use of your disk space.

- b. Use this new disk (containing your operating system and your DataStar program) for any files you create in Chapters 1-3.

Here are basic steps for making the work disk.

DO: Get a blank disk that has been formatted correctly for your system. Make a copy of your operating system program. Check your manual for the correct procedure; many systems use a program called Sysgen.

DO: Also copy the file status utility and copying utility files from your system disk onto your work disk. (In CP/M systems use STAT and PIP.)

DO: Next, copy your DataStar files (the distribution disk) onto your work disk. (CP/M systems use the PIP command; consult your manual.)

WHAT HAPPENS: Both your system program and your DataStar files are now on a work disk. To see your directory, go on to the next step.

If you are using disks that are too small to hold the utilities and DataStar files, you may have gotten a "Disk full" or a \$\$\$ message. Consult your manual or ask your dealer for help.

Step 3 Look At Your Files

DO: With the work disk that you just created in the disk drive you will normally use, type your system's directory command. (Remember, the words you should type and the keys you should press will be printed in boldface type.) For example, in CP/M at the system prompt for your work disk:

TYPE Dir (may be typed in upper or
lower case)

PRESS RETURN

WHAT HAPPENS: You will see a list of the files on your work disk. While the operating system program will not show up on your directory, the file copying and status programs and your DataStar files should be listed.

DO: To make sure you have all the necessary files, compare the list of DataStar files on your screen with the list on page 1-16 of this chapter.

Step 4 **Do a Status Check**

When you begin to create files, you will need to do frequent status checks to ascertain how much usable space you have left on a disk. Practice doing a status check on your newly created work disk. For example, in CP/M at the system prompt:

TYPE Stat

PRESS **RETURN**

You will need approximately 10K of space on this work disk (single or double density) to complete Chapters 1-3.



Step 5 **Install DataStar**

DO: To install DataStar follow these steps:

PRESS **CTRL C** (holding the control key down while you type C)

TYPE DInstall

PRESS **RETURN**

WHAT HAPPENS: Install will take a few seconds to load. Then the DataStar install message will be displayed, followed by a list of terminals with letters that correspond to terminals.

DO: TYPE in the letter that corresponds to your terminal. If your terminal is not on the list, type a 2 or a 3 to get a list of other terminals.



WHAT IF YOUR TERMINAL IS NOT LISTED?

In the unlikely event that your terminal is not on one of the lists, refer to the modification instructions in Appendix B, DataStar User's Guide 1.1. Ask your dealer to help you if you have problems.

WHAT HAPPENS: After you have typed in the letter that corresponds to your terminal, a confirmation request will appear.

DO: TYPE Y or N to answer the confirmation, as appropriate.

WHAT HAPPENS: If you type Y, the program will configure DataStar for your use and then this prompt will be displayed:
Is this installation for MP/M?(Y/N):

DO: If you are working on an MP/M system:

TYPE Y

If you are *not* working on MP/M:

TYPE N

WHAT HAPPENS: This prompt will be displayed:
Disable line feeds to printer? (Y/N):

DO: Some printers are set up to do a line feed with each carriage return, thus causing an extra line feed. Check your manual for your printer. If your printer is one of these:

TYPE Y

If your printer does not provide an extra line feed with each carriage return:

TYPE N

WHAT HAPPENS: When the system prompt reappears, DataStar is ready to use.

Step 6 Erase a File

DO: As part of your introduction to DataStar, you will create a file called CUSTOMER. This file should not now be present on the disk, but may be there if it was not erased by the last person who used the demonstration file. To make sure the file is not present, at the system prompt:

TYPE Era customer

PRESS **RETURN**

Note: If you're using DataStar 1.4, you'll need to type ERA Customer.DEF

WHAT HAPPENS: You may get this message:
No file exists if the Customer File has already been erased...OR...your operating system will erase the file. In both cases, your system prompt will return to the screen.



A file is a storage unit for information that has been entered into the computer in the form of text, data, or programs. Files store this information in a specific order, under a name, on a disk. In FormGen, the forms you enter will be stored in the form definition file (or FormGen file). This file contains the specifications to re-create any form that has been stored there. Creating a FormGen file is the mandatory first step in the DataStar process. In the next step you will create and name a new FormGen file.

Step 7 Invoke FormGen

DO: To invoke FormGen, do the following at the system prompt:

TYPE FormGen

PRESS RETURN

WHAT HAPPENS: The FormGen copyright notice will appear, followed by the prompt: Enter name of form definition file.

DO: TYPE CUSTOMER

PRESS RETURN

WHAT HAPPENS: You have just created a new FormGen file under the filename "Customer," and FormGen Help Screen 4 appears.

DO: Help Screen 4 explains how to create a form and introduces the terms "data fields" and "background text." Read the Help Screen.



FormGen is where you create a form that you'll use later on for data entry. When working in FormGen, you have four Help Screens that explain how to create a form and list all the commands you may need to create a form. You can always tell when you're in FormGen because the upper right corner of the screen will list Help Screen 1, 2, 3, or 4.


Step 8 FormGen Help Screen

DO: After reading FormGen's Help Screen 4, do the following:

PRESS CTRL J

Again, remember this CTRL symbol before a letter means hold the Control Key down while you type the letter. Another way of depicting the Control Key is the symbol \wedge . You will see this symbol on your Help Screens.

WHAT HAPPENS: Help Screen 3 is displayed at the top of your CRT screen with blank space below. See the illustration below.




Step 9 More Help Screens

DO: Use the following command to get Help Screen 2 on your screen:

PRESS **CTRL J**

WHAT HAPPENS: Help Screen 2 appears; it is also illustrated below.



DO: PRESS **CTRL J**

WHAT HAPPENS: Help Screen 1 appears. This is the shortest help screen. It lists only the Status Line and allows maximum screen space for a form.

LIN = 000 COL = 000

HELP SCREEN 1

DO: PRESS **CTRL J** (two times to get Help Screen 3)

Step 10 Practice Cursor Commands

DO: Now that you've seen all the Help Screens, you can practice some of the cursor commands listed on Screen 3. First read the new information below.




NEW INFO

The status line should show that the cursor is positioned in line 000, column 000, if you have not typed any characters or spaces. As you enter text, the cursor will move across the screen. The position of the cursor is always listed on the Status Line at the top of your help screen. When the cursor comes to the end of a line, it "wraps around" to the beginning of the new line.

DO: After looking at the key illustrations below and your help screen, type *two* or *three* lines of any text. Next, use the cursor command to move the cursor up/down and to each side. Finally, use the delete commands to clear your screen.

Use the Control Key **CTRL** plus one of the keys below for cursor movements and deletions.

Moves



Deletes



= DELETES TO THE RIGHT



= DELETES TO THE LEFT

OR



= DELETES TO THE LEFT

Step 11 Finish

DO: When your screen is cleared, you are finished with the Introductory Chapter.

EXIT FORMGEN by using this command.

PRESS **CTRL****C****A****Y** (holding down the **CONTROL** Key while you type C, A and Y)

Then read the Chapter Summary on the following page.



Introductory Chapter


Summary

First, review the Introductory Glossary at the beginning of this chapter. Then read the information below.

DataStar has two parts: You use **FormGen** to create your form and **DataStar** to enter data on that form (later on).

After you have installed DataStar for your terminal (p. 9) and created a work disk (pp. 6-7), you can use the following steps to get started in FormGen:

When your system prompt is displayed, type the following sequence of messages and commands (shown in dark print).



Type Your Form at Help Screens 1, 2, or 3

The Distribution Disk

The disk you received when you purchased **DataStar** contains the following files:

- DATASTAR.COM** Uninstalled **DataStar**: Installation for your terminal is achieved by running **INSTALL** as described earlier in this chapter.
- FORMGEN.COM** Uninstalled **FormGen**: Installation for your terminal is achieved by running **INSTALL** as described earlier in this chapter.
- DINSTALL.COM** **DataStar** installation program: This file is used to customize (install) **DataStar** and **FormGen** for a particular hardware configuration.
- BATCH.OVR** This is an auxiliary program required for batch file selection.
- ORDER.DEF** This is a sample form demonstrating many of **DataStar's** features. In Chapter Three you will examine the **ORDER** form, using **FormGen**. All of the field definition (attribute) options are exercised in this form.

The following files are used as reference files by the **ORDER** form:

- PRODUCTS.DTA** This is a sample file with records containing product code, description, and price.
- PRODUCTS.NDX**
- OKSTATES.DTA** This is a sample file containing a two-digit postal abbreviation of states followed by the sales tax for that state.
- OKSTAKES.NDX**
- CUSTOMER.DTA** This is a sample file with records containing customer name, address, city, state, zip code, and customer number.
- CUSTOMER.NDX**

Chapter One

A Form Becomes a Record

Section A: Creating the Form

Step 1 Invoke FormGen

If you exited FormGen at the end of the last chapter, get your system prompt on the screen. Then use the following commands to invoke FormGen.

TYPE **Formgen Customer**

PRESS **RETURN**

Then rotate the Help Screens until Help Screen 2 is displayed.

PRESS **CTRL J** (the CONTROL Key and J)

If you are continuing from the last chapter, call up Help Screen 2.












PRESS **CTRL J**

You're going to create a form that looks like this:

Name:	-----
Address:	-----
City:	-----
State:	-- Zip Code: ----
Phone:	-----

Step 2 Review Cursor Commands

The illustration below shows some of the cursor commands you may need while typing your form. Help Screen 2 also lists these commands. Also, remember the last step in each chapter lists exit commands, use these any time you need to exit.

	= A, CONTROL KEY		= LEFT ONE ITEM
	= CREATE A FIELD (OR UNDERLINE KEY)		= RIGHT ONE ITEM
	= DELETES TO THE RIGHT		= UP ONE LINE
	= DELETES TO THE LEFT OR		= DOWN A LINE
	= DELETES TO THE LEFT		= LEFT ONE CHARACTER
			= RIGHT ONE CHARACTER



**WHAT HAPPENS IF YOU
HIT THE WRONG KEY?**
If you make a mistake and type in the wrong letters, simply use the cursor commands listed on your screen to delete the errors. If for some reason your screen gets garbled, message, or goes blank, simply turn off your terminal for a few minutes, then invoke FormGen (Step 1) and start over.

Step 3 Create the Name Field

The NAME field will look like this:

Name: _____

Put the cursor in line 000, column 000 (as shown on the Status Line at the top of your screen).

TYPE Name
 followed by a colon
 followed by 4 spaces
 followed by 20 underlines (or
 USE CTRL Q)

PRESS **RETURN**

Step 4 Create the Address Field

The ADDRESS field will look like this:

Address: _____

Put the cursor in line 001, column 000.

TYPE Address
 followed by a colon
 followed by 1 space
 followed by 20 underlines (or
 USE CTRL Q)

PRESS **RETURN**



If you've tried to move the cursor using CTRL A and CTRL F, you may have noticed these commands will move the cursor from field to field or text to text, but not through both. Use CTRL B or CTRL D to move between both text and field. The BACKSPACE key also lets you retrace your steps to correct or replace characters.

Step 5 Create the City Field

The CITY field will look like this:

City: _____

Put the cursor in line 002, column 000.

TYPE City
 followed by a colon
 followed by 4 spaces
 followed by 20 underlines (or
 USE CTRL Q)

PRESS **RETURN**

Step 6

Create the State and Zip Code Fields

The STATE and ZIP CODE fields will look like this:

State: ____ Zip Code: _____

Put the cursor in line 003, column 000.

TYPE **State**
 followed by a colon
 followed by 3 spaces
 followed by 2 underlines (or
 USE CTRL Q)
 followed by 4 spaces

TYPE **Zip Code**
 followed by a colon
 followed by 1 space
 followed by 5 underlines (or
 USE CTRL Q)

PRESS **RETURN**

Step 7

Create the Phone Field

The PHONE field will look like this:

Phone: _____

Put the cursor in line 004, column 000.

TYPE **Phone**
 followed by a colon
 followed by 3 spaces
 followed by 7 underlines (or
 USE CTRL Q)


PRESS **RETURN**

You've completed typing the Customer Form.



When you finish typing a form, you must enter a save command which signals FormGen to store a copy of the form in a FormGen (form definition) file, under the filename Customer.DEF. The picture on the right is one way to show this file.

FormGen File



Every form must meet certain requirements before DataStar will store it. Go on to the next step to try the save command.

Step 8 Is the Form Finished?

Save your form.

PRESS **CTRL C**

The following error message will appear at the top of your screen: **??? No Key field has been established. (Choose at least one field as a sort field; use CTRL K to assign key status.)**

PRESS the **SPACE BAR** (to return to your form)

Read the following new information.



A form is not complete for DataStar use until at least one field is designated as the KEY FIELD. This field will be helpful to you later when you want to locate specific records.

Step 9 Assign a Key Field

Use the following cursor commands to move the cursor into the last data field (PHONE). See illustration below:

Phone: **█** _ _ _ _ _

PRESS **CTRL E** (to move up)

PRESS **CTRL D** (to move to the right)

PRESS **CTRL K**

The seven underlines change to *****. The asterisks indicate that this data field is now your KEY field.

Step 10 Save Your Form

Your form is now complete. Store your form in the FormGen file.

PRESS **CTRL C C** (press the CONTROL Key and C, then C again)

**CONGRATULATIONS!
YOU HAVE JUST CREATED
YOUR FIRST FORM.**

Step 11 Finish

This is the end of Section A. To continue on to Section B, just turn the page.

You can exit FormGen at any time.

PRESS **CTRL C B** (save work and boot the system)

Hold the CONTROL key down while you type the other letters.

Chapter One

A Form Becomes a Record


Section B: Creating and Finding Customer Records

Step 1 Begin

If you are continuing from Section A, leave your Customer Form on the screen and read the new information below.

If you are at your system prompt, bring up Formgen and your Customer Form.

TYPE FormGen Customer



Step 2 Proceed to DataStar

With the Customer Form on your screen, use the following command to proceed to DataStar.

PRESS **CTRL C D**

Your screen will go blank for a few seconds. When your form returns to the middle of the screen, DataStar's Mode Selector Screen will be listed at the top. Read the following new information and see the illustration.

Mode Selector Screen

ADD MODE

current form = customer

Enter character to select new mode:

A = Add new records	K = select records by KEY	E = Exit current form
I = SCAN in Index order	D = SCAN in Data file order	M = edit scan Mask
B = select Batch file	V = Verify batch file	
F = File maintenance	J = Help	SPACE = current mode



NEW INFO

WHERE AM I?

Anytime you see the Mode Selector Screen or any menu with the word Mode, you are in DataStar. The Mode Selector Screen acts as a kind of train station in DataStar because from here you can select to go in several different directions to do various tasks.

The Mode Selector Screen lists each of DataStar's Modes and the corresponding letter (command) needed to enter that Mode. Since the default is the Add Mode when entering DataStar, you are set up to go into the Add Mode by simply pressing the SPACE BAR (listed on your Help Screen, bottom right).



NEW INFO

MODES

DataStar has several MODES or ways of operating. You select a mode according to the kind of work you need to do. Each mode has a Help Screen which displays the mode name in the upper-left corner and lists all the commands you may need while working in that mode. (This mode name always indicates that you're in DataStar.)

You have just entered the ADD MODE and, as the name implies, in this mode you type data on your form and then add records to your file. Review the new commands on the Help Screen before continuing.

ADD MODE

/BATCH A: filename

current form = customer

CURSOR:

^A = prev field

^S = left char

^D = right char

^F = next field

^T = first field

^L = last field

FIELD EDIT:

^G = delete char

^V = insert hole

^C = copy from previous record

OTHER:

^Z = restore screen

^U = print form

^O = print data

^J = help on/off

END/EXIT:

^B = end entry

^E = exit current mode

Step 3 Enter Data

You're now ready to enter data on the form, and the cursor is positioned at the beginning of the first data field (NAME). Remember, you can backspace to fill in missed items and press DEL or CTRL G to remove unwanted characters.

You'll enter your own name (no longer than 20 characters) and address to create your first record. Move the cursor to the beginning of the first field.

TYPE your name

PRESS **RETURN**

The cursor moves to the next field (ADDRESS).

TYPE your address

PRESS **RETURN**

Again, the cursor moves to the next field (CITY).

TYPE the name of your city

If you have not filled the field:

PRESS **RETURN** (to move to the next field [State])

TYPE the postal abbreviation of your State (in CAPS)

The cursor *automatically* moves to the next field (ZIP CODE). The cursor moved because the STATE field was full.

TYPE your zip code

Again, the cursor *automatically* moves to the next field.

TYPE your telephone number
(no hyphen)

You've completed entering data. Go on to Step 4.

Step 4 Store the Information

When you've completed entering data in the last field on your form, DataStar uses the following prompt to ask you if you want to store the information that you have just entered:


Hit RETURN to file entered data, RUB* to erase all items on screen, or CTRL E to exit the current mode. Type any other character to return to top of form and continue.

PRESS **RETURN** (to file the data)



DataStar has *two* files for storing your records. When you pressed RETURN, you told DataStar to store the entire Customer Record in a data file (Customer.dta). At the same time DataStar stored a copy of the Key field in an index file (Customer.ndx). You'll learn more about data and index files in the following chapters.

DataStar Files



*or the delete (DEL) key

Step 5 Another Record

An empty form is again displayed on your screen, ready for you to enter data. Create another Customer Record by repeating Steps 3 and 4. Use a different Name, Address, and Phone number (no hyphen). When the entry is completed,

PRESS **RETURN** (to store the record)



RETRIEVING RECORDS
In addition to the two Customer Records you have just created, nine other Customer Records have been included in a file on your DataStar disk. These extra records are provided to help you practice retrieving records from DataStar's data files. DataStar has several methods for helping you find just the records or records you want.



Step 6 Retrieve All Your Records

In later chapters you'll learn more about how DataStar retrieves your records. For now, have a look at all the Customer Records in the data file, one at a time, by following these steps.

PRESS **CTRL E** (to leave the Add Mode)

TYPE **D** (for Data Scan Mode)

A Customer Record is displayed.

PRESS **CTRL N** (to look at each record in the file)

When DataStar comes to the last record in the file, you will see this prompt:

**End of file. Hit the ESCAPE
key to continue scan.**

PRESS **ESC**

PRESS **CTRL N** (to look at the rest of
the records)

Read on before you take another action.

Step 7 Retrieve a Specific Record

Suppose you wanted to find a specific record rather than look at ALL the records in the file.

PRESS **CTRL E** (to change modes)

TYPE **K** (for select by Key Mode)

Your last record disappears and a new customer form is displayed.

Notice that the cursor goes automatically to the PHONE data field (because you assigned PHONE as your Key field). Type your phone number here (no hyphen). The form disappears and there's your record! DataStar searched the Customer index file and found the record that matched the Key field numbers you entered.

Read on before taking any action.

Step 8 Retrieve Groups of Records

Suppose you want to find all the records that fit into certain categories (e.g., all customers from a specific city).

PRESS **CTRL E** (to change modes)

TYPE **M** (for Edit Scan Mask)

Your previous record disappears, and a new customer form is displayed. The cursor is positioned in the first field, and all data fields are filled with asterisks. The asterisks mean you can now type information (in any field) that will tell DataStar which groups of matching records you want.

We'll look for all the records from NY State. Use your Help Screen cursor commands to move the cursor into the STATE field.

TYPE NY (in capitals)

Next, look at the Help Screen for the end of entry command.

PRESS **CTRL** **B** (end of entry command)

DataStar will begin the search. DataStar will display the first Customer Record it finds from NY State.

PRESS **CTRL** **N** (to see all the records, one at a time)

The "end of file" message appears.

PRESS **ESC**

PRESS **CTRL** **N** (to continue to scan)

After you've seen all your records, read step 9.

Step 9 **Finish**

You've just seen the different ways DataStar retrieves your records for you. There's no need to remember the whole procedure; you'll practice retrieval methods again in other chapters.

This is the end of Chapter One. Use the following command to exit DataStar.

PRESS **CTRL** **E** **E** **C**

Then read the Chapter Summary on the next page.

Chapter One

Summary

Scan through the chapter and review all the new information that is set off in boxes. Then look over the information below.

In FormGen you...

- Created the Customer Form: Background Text and Data Fields.
- Assigned a Key Field.

The diagram shows a rectangular box representing a form. Inside the box, the following text is displayed:
Name: _____
Address: _____
City: _____
State: -- _____ Zip Code: _____
Phone: *****
An arrow points from the first bullet point to the 'Name' field. Another arrow points from the second bullet point to the 'Zip Code' field.

Customer Form

- Stored the form in a form definition (FormGen) file by Pressing CTRL C C.

Chained DataStar by pressing CTRL C D.

In DataStar you...

Name:	Joe Smith
Address:	20 Elm St.
City:	Larkspur
State:	CA
Phone:	9245566
	Zip Code: 90003

Customer Record

- Entered data on the form while in the Add Mode.
- Pressed RETURN to store the data, as a customer record, in a data file. At the same time you stored a copy of the Key Field in an Index file.

Retrieved all your records from the Customer data file (Data Scan Mode).

Retrieved a specific record (select by Key Mode).

Retrieved groups of records by editing the Scan Mask.



Chapter Two

Attributes

Section A: Assigning Attributes

Step 1 Rename a Form

In this chapter you'll create an invoice form by adding several data fields and attributes to the Customer Form. However, first you must **RENAME** the form to avoid confusion with your existing Customer data and index files.

Use the Rename command for your system.
In CP/M, at your system prompt:

TYPE **Ren Invoice.**
DEF=Customer.DEF

PRESS **RETURN**

When the system prompt returns:

TYPE **FormGen Invoice**

PRESS **RETURN**

Your Customer Form will be displayed, now named Invoice (as shown on the Status Line).

Create Your Form to Match the Example Below

The diagram shows an invoice form layout within a rectangular border. The fields and their attributes are as follows:

- Name:** A single line of text.
- Address:** A single line of text.
- City:** A single line of text.
- State:** A single line of text.
- Phone:** A single line of text.
- Zip code:** A single line of text.
- Customer #:** A single line of text, positioned to the right of the other fields.
- Previous Balance:** A single line of text.
- Amount Charged:** A single line of text.
- Balance Due:** A single line of text.

Attributes and annotations:

- Two blank lines START IN COLUMN 6:** Points to the first two lines of the form (Name and Address).
- 1 SPACE OR UNDERLINES:** Points to the Customer # field.
- 1 SPACE 10 *Q's OR UNDERLINES:** Points to the Previous Balance field.
- 3 SPACES 10 *Q's OR UNDERLINES:** Points to the Amount Charged field.
- 6 SPACES 10 *Q's OR UNDERLINES:** Points to the Balance Due field.

Step 2 Expand Your Form

Check the cursor commands listed on your Help Screen.

Then create the four new data fields by following the instructions on the illustration above. Use CTRL Q or the underline key to create data fields.



Remember, if you make a mistake and type the wrong letters, simply use the delete commands listed on your Help Screen to delete errors. If for some reason (power failure, etc.) your screen gets garbled with messages from the computer or goes blank, simply exit FormGen with the abort command, CTRL C A Y, then reinvoke FormGen at your system prompt, and start over.

Step 3 Save Your Form

When you've finished typing the Invoice Form:

PRESS **CTRL** **C** **C** (to store the form in the form definition file)

Note: As you learned in the last chapter, every form must have a Key Field. Because you assigned a Key field (PHONE) to this form when it was called "Customer," that Key field still exists, and DataStar does not prompt you to assign it again.



ATTRIBUTES

Attributes are characteristics or requirements that you can assign to a data field when you create a form in FormGen. Attributes are optional. You can assign as many as you like, or none.

In general, attributes have three functions during data entry.

Name: (only A-Z) Customer # (only #'s)
 Address: State:
 City: State:
 Previous Balance: \$20
 Amount Charged: \$30
 Balance Due: \$50

**DataStar will calculate
this field for you**

They can protect a data field from having unwanted information entered (allowing entry of only letters or numbers, for example).

They can signal DataStar to fill in certain kinds of information automatically (read information from another file or calculate the amounts of two fields and supply the total in a third field).

And they can provide constant changes to the program conditions.

Step 4 Look at the Attribute List

You're just going to have a look at the attribute list now. You'll practice assigning attributes later. Position your cursor *in* the first space of the NAME data field, like this:

Name: █ _____

PRESS **CTRL R** (to begin the attributes list)

If the cursor is not **IN** the data field, you may get the error message:

Cursor is not in a field. Hit ESCAPE key.

Read the following new information before continuing.



HELP SCREEN R AND THE ATTRIBUTE LIST

Entering CTRL R causes these screen changes: Help Screen R appears at the top of your screen; two lines of the Invoice Form are shown in the middle; and the first attribute is listed in the bottom part of the screen.

CURSOR:	LN=### COL=###	NUM=### LEN=###	POS=### EDC=	HELP SCREEN R
OTHER:	RETURN=next item	*S=left char	*D=right char	*E=prev char
	*A=previous field	*F=next field	*G=delete char	*V=insert char
	*C=end definition	*R=start over	*O=locate field	*J=more help
Name: ■-----				
Address: -----				
Field name: -----				

DataStar will present the list of available attributes (one at a time), ask if you want to select or refuse the attribute (Y/N), or provide a space for you to type a response. First on the list is the option of giving this data field a name. Go on to the next step before taking any action.

Step 5 Examine the Second Attribute

PRESS **RETURN** (to see the second attribute - Field Order)

Field Order: 001

The Field Order number represents the order in which the field was created on the form (unless reassigned). This number specifies the order that customer information will be entered on the form in DataStar (unless you assign a new number).

Step 6 Continue the Attribute List

Appendix A of this guide contains a description of each attribute and its uses. Pull that section out and keep it in front of you for easy reference as you go through the attribute list on your screen. Since some attributes only appear after others have been assigned, *not* every attribute in Appendix A will appear on your screen at this time.

Read each attribute as it's presented.

PRESS **RETURN** (to continue the list)

There's no need to memorize anything. Data-Star will show you the list anytime you position the cursor in a field and PRESS CTRL R.

When the list is finished, your entire form and Help Screen 3 return to the screen.

Step 7 Assign Attributes to the Name Field

Keep your cursor in the NAME field.

PRESS **CTRL R** (to go through the attribute list again)

As each attribute is listed, follow the instructions below for assigning attributes to the NAME field. It's important that you enter your responses *exactly as shown*. If you make a mistake, follow the cursor controls on the Help Screen to go back, delete, or change. Later on in Section B you'll find out how these attributes work.

Field Name	PRESS RETURN
Field Order	PRESS RETURN
Copy Attributes	PRESS RETURN
Field Derived	PRESS RETURN

Required TYPE Y
(Assigning this attribute means the
NAME field may not be left blank.)

Right Justify PRESS **RETURN**

Pad Field PRESS **RETURN**

Floating character PRESS **RETURN**

Verify Field TYPE Y

Sight/retype/File - S is the default,*

PRESS **RETURN**
(Assigning this attribute means an
operator will be required to sight verify
that the information entered in the
NAME field is correct.)

Batch verify PRESS **RETURN**

Verify/calculate order: -
PRESS **RETURN**

Check Digit PRESS **RETURN**

Range Check PRESS **RETURN**

Edit Mask TYPE Y

Entry Control Character Codes -

TYPE ! **RETURN**

Content Control Character Codes -

TYPE A **RETURN**

Record Edit Characters -

PRESS **RETURN**
(Assigning these attributes means an
operator will be required to enter infor-
mation in the NAME field, and that infor-
mation must be A-Z, no numbers.)

At this point the attribute list ends, Help
Screen R disappears, and your entire form is
returned to the screen.

* In computer lingo, default is the pre-set condition or
response.



Press **CTRL** **F** to move the cursor into the first space of the CUSTOMER # data field)

Press **CTRL** **R** to begin the attribute list and then assign the attributes that are listed below)

CTRL **C** **B** (save form and boot terminal)

CTRL **C** **C** (save form and continue)

If you have made several errors and wish to abandon this record and start over, press the exit command:

CTRL **C** **A** (abandon record)

Step 8 Assign Attributes to Customer # Field

PRESS **CTRL** **F** (to move the cursor into the first space of the CUSTOMER # data field)

PRESS **CTRL** **R** (to begin the attribute list and then assign the attributes that are listed below)

Note: Only the attributes that you will assign to this field are listed below. For all others simply PRESS RETURN.

Required-TYPE Y

(The Customer # field may not be left blank.)

Edit Mask - TYPE Y

Entry Control Character - TYPE six !'s

Content Control Character - TYPE six 9's

(Assigning this attribute means an operator will be required to supply data to fill the field and the data must be numbers only.)

Step 9

Assign Attributes for the Previous Balance Field

Move the cursor to the *FIRST* position of the PREVIOUS BALANCE data field.

PRESS **CTRL R** (to begin the attribute list)

Assign the attributes listed below. For all others simply press RETURN.

PRESS **RETURN**

Right Justify - TYPE Y

(Assigning this attribute means information in the PREVIOUS BALANCE field will be automatically entered right to left.)

Floating Character - TYPE Y

Enter floating character - TYPE \$
(Assigning this attribute means a \$ will be constant in this field and will float to the left of any numeric data that is entered later on.)

Edit Mask - TYPE Y

Entry Control Character -

PRESS **RETURN**

Content Control Character -

TYPE ten 8 (fill the field)

(Assigning this attribute means that numbers and decimal points will be accepted in the PREVIOUS BALANCE field.)

The attribute list ends and the form returns.

Step 10

Assign Attributes for the Amount Charged Field

Here's a tip about assigning attributes. You may remember that each field on your form has a Field Number which was automatically assigned when the field was created on the form. The last field (PREVIOUS BALANCE) was 008, and the Field Number for this field (AMOUNT CHARGED) is 009.

Place your cursor in any position of the Amount Charged field.

PRESS **CTRL** **R** (to see the first attribute "Field Name")

PRESS **RETURN** twice (to get the third attribute)

Copy attributes of field _____

Because we want this field to contain EXACTLY the same attributes as the PREVIOUS BALANCE field, we can simply select this attribute.

TYPE 008

Copy attributes of field 008

Since 008 is the number of the PREVIOUS BALANCE field, DataStar will assign identical attributes to the AMOUNT CHARGED field.

There's no need to go through the entire attribute list for this field.

PRESS **CTRL** **C** (to restore your form to the screen)

Step 11

Assign Attributes for the Balance Due Field

Move the cursor to the FIRST position of the BALANCE DUE data field.

Balance Due: ■_____

PRESS **CTRL****R** (to begin the attribute list)

Assign only the attributes listed below. For all others simply press RETURN.

Field derived - TYPE Y

Calculated/File - TYPE C

Enter algebraic expression for field calculation - TYPE #10 = #8+ #9
(Assigning this attribute means Data-Star should add the amounts in fields 8 and 9 and enter the total in the BALANCE DUE field.)

Right Justify - TYPE Y
(Assigning this attribute means data will be automatically entered from right to left.)

Floating Character - TYPE Y

Enter Floating Character - TYPE \$
(A \$ will be constant in this field and will float to the left of any numeric data that is entered later on.)

Edit Mask - TYPE Y

Entry Control Character -

PRESS **RETURN**

Content Control Characters -

TYPE **CTRL D** seven times
(to move the cursor into the eighth space of the field), followed by a period.

The results should look like this:

Balance Due: _____

PRESS **RETURN**

(Since this is a calculated field, the only assignment that is necessary is a period for decimal alignment.)

The list ends and your form is returned to the screen.

Step 12 Finish

Congratulations, you've finished assigning attributes.

PRESS **CTRL** **C** **C** (to save your Invoice Form and its attributes)

This is the end of Section A. You can continue on to the next Section by turning the page
-or-

exit FormGen.

PRESS **CTRL** **C** **B** (to save your form and boot the system)

Chapter Two

Attributes

Section B: How Attributes Work

Step 1 Chain DataStar

If you are in FormGen with your INVOICE form on the screen:

PRESS **CTRL C D** (to chain DataStar)

If you are at your system prompt:

TYPE DataStar Invoice

PRESS **RETURN**

Read the next step before taking another action.

Step 2 Create New Data and Index Files

Because this form is new, DataStar will check the logged drive to find the .dta file. When none is found, the following prompt will be displayed:

Enter disk drive to use for the Invoice.dta file (A,B...?)



Because the Invoice Form is new, you are being asked where (on which disk) to store the new data files. If you normally work on disk drive A, respond by typing A. (Since systems vary, check the system manual for more information.) Follow the directions below:

TYPE the letter (that specifies the disk drive that contains your work disk)

Next DataStar asks:

Enter disk drive to use for the invoice.ndx file (A,B...?)

TYPE the same letter (that you used for the data files)

DataStar will open both an index and data file, under filename Invoice, once you have replied appropriately to the prompts above.

Go on to the next step before taking any action.

Step 3 Go to Add Mode

DataStar takes all new forms directly to the Add Mode so that you can begin to generate customer records for storing in the data and index files.

Check the Help Screen to review cursor commands. Remember, in DataStar the cursor will move ONLY within the datafields. Also, if you have told DataStar to calculate a field for you (BALANCE DUE), the cursor will NOT enter that field.

Look at your form. Notice the floating characters (\$) that you assigned in several fields.



Step 4 Create a Customer Record

Enter data on your Invoice Form to match the example below.

Name:	Carl South	Customer #111111
Address:	20 Baltimore Ave.	
City:	Los Angeles	
State:	CA	Zip Code: 90003
Phone:	7772121	
Previous Balance:	\$25.00	
Amount Charged:	\$40.15	
Balance Due:		← DataStar will calculate this field.

When a field is completed:

PRESS **CTRL F** OR **RETURN**
(to move to the next field)

Notice, after the AMOUNT CHARGED field is completed, the cursor skips BALANCE DUE and goes to the first field on the form (NAME). At this point, DataStar switches to VERIFY MODE (shown on the screen, top left). Read the new information following.



VERIFY MODE

When any data field has been assigned the Verify Attribute, DataStar automatically switches to Verify Mode after all required customer information has been entered on the form. Because you assigned the Sight Verify Attribute to the NAME field, the cursor is now positioned at that field, and you are required to sight check the information. Go on to the next step.

Step 5 Verify and Store

Check that the information in the NAME field is correct.

If the information is not correct:

TYPE the corrections

PRESS **RETURN**

If the information is correct:

PRESS **RETURN**

At this point, the data for the BALANCE DUE field is calculated and filled in by DataStar. Then this prompt appears:

Hit RETURN to file entered data, RUB to erase all items on screen,...

PRESS **RETURN**

DataStar has now stored your customer record in the data file and a copy of the Key field in the index file. An empty INVOICE form is returned to the screen.

Step 6 Enter Incorrect Information

Move the cursor to the NAME data field.


TYPE in a name (beginning with a lower case letter)

The result is an ERROR MESSAGE:

A-Z are the only characters allowed here.
_____ Ignored. Hit ESCAPE key.

PRESS **ESC**

RETYPE a **name** (beginning with an
upper case letter)



Step 7 Test Another Attribute

Move the cursor to the first space of the
CUSTOMER # field.

TYPE a

You will get an Error Message:

0-9 are the only characters allowed. a
ignored. Hit ESC key.

Remember, you assigned a Numbers Only
Attribute to this field.

PRESS **ESC** (leave the field blank,
you'll see why later)

PRESS **CTRL F** or **RETURN**
(to move to the ADDRESS field)

Type in any address, city, state, phone number
(no hyphen), and dollar amounts for
PREVIOUS BALANCE and AMOUNT
CHARGED. After you have completed the
AMOUNT CHARGED field, signal the end of
data entry.

PRESS **CTRL B** or **RETURN**

The following Error Message appears:

Field is not Complete. Hit ESCAPE key.

PRESS **ESC**

Notice, the cursor has moved into the CUSTOMER # field. Because you assigned a Must Enter Information Attribute to this field, it cannot be left blank.

TYPE the Customer # 222222

PRESS **CTRL B**

DataStar switches to Verify Mode and the cursor goes to the NAME field. Check that the information in the NAME field is correct.

PRESS **RETURN**

When DataStar asks if you want to file the information:

PRESS **RETURN**



You have just stored another customer record in the index and data files, and an empty INVOICE form returns to the screen.

Step 8

Create More Records

Create one more customer record using Customer # 333333. Try to trick DataStar by entering information that does not meet the attribute requirements you've set up for the data fields. If you find you get an error message that you don't understand, simply delete the information in that field and re-enter information similar to the kind you used in Step 4. When an Error Message appears, read the message and follow the instructions. When the form is complete:

PRESS **RETURN** (to store the record)



Step 9 Retrieve All Your Records

PRESS **CTRL E** (to change Modes)

TYPE **D** (for Data Scan Mode)

One of your Invoice records will be displayed.

PRESS **CTRL N** (to see each record,
one at a time)

If you want to go backwards in the file:

PRESS **CTRL P**

Remember, when DataStar comes to the end of a file you will get an ESCAPE message. Follow the instructions in the prompt.

Step 10 Finish

Because you will not work with these files (Invoice, Invoice.dta and Invoice.ndx) again, you'll need to erase them. Follow these steps.

PRESS **CTRL E E C** (to exit the
Data Scan Mode
and DataStar)

When the system prompt is displayed:

TYPE **Era Invoice.***

PRESS **RETURN**

Wait a few seconds as DataStar erases your files. Then your system prompt will return to the screen.

Read the Chapter Summary before going on to Chapter Three.



Remember, there is a complete list of attributes and a brief discussion of their functions in Appendix A of this guide. Also, Chapter Three discusses attributes in more detail.

Chapter Two

Summary

Scan the chapter to review all the new information that is set off in boxes. Then read the information below.

In FormGen you...

- Created the Invoice Form by renaming the Customer Form to Invoice and typing the additional fields.
- Assigned attributes to several fields by positioning the cursor in a field, pressing CTRL R, going through the attribute list, and typing in the appropriate responses.

The diagram shows a form titled "Invoice Form" with the following fields: Name: _____, Address: _____, City: _____, State: _____, Zip Code: _____, Phone: _____, Previous Balance: ☐ _____, Amount Charged: _____, and Balance Due: _____. An arrow points from the first bullet point to the "Name:" field. Another arrow points from the second bullet point to the "Customer" attribute assigned to the "Name:" field. A third arrow points from the "Previous Balance:" field to the "Previous Balance:" field.

Invoice Form

Stored the form and its attribute assignments in a form definition file by pressing CTRL C C.

Chained DataStar by pressing CTRL C D.

Entered the disk drive to use for new files.

In DataStar you...

- Entered data that fit the attribute requirements.
- Entered data that did not fit the attribute requirements and got error messages. Pressed ESC, and re-entered acceptable data.

Name: Carl South	Customer #111111
Address: 20 Baltimore Ave.	
City: Los Angeles	
State: CA Zip Code: 90003	
Phone: 7772121	
Previous Balance: \$20	
Amount Charged: \$30	
Balance Due: \$50	

Invoice Customer Record

Pressed RETURN to store records in the Invoice.dta file and a copy of the Key field in the Invoice.ndx file.

Retrieved your records by scanning in data file order.



Chapter Three

The Order Form's Attributes

Section A: Reviewing the Attributes

Step 1 Invoke FormGen Order

Invoke FormGen at your system prompt.

TYPE **FormGen Order**

An order form will be displayed on your screen. This form has been provided with your Data-Star disk.

Scan the Order Form on your screen. Notice the placement of data fields on the form. Those fields which help to identify the customer and the date the order was placed are positioned near the top: ORDER #, DATE, and CUSTOMER #. Also, because asterisks appear in the ORDER # field, you know this is the Key field.

Step 2 Print the Order Form

Check that your printer is turned on, the paper alignment is correct, and the ribbon is in place. You are then ready to print the Order Form.

PRESS **CTRL W**

If your printer is linked incorrectly, it will cause your screen to lock up. Check the manual for your printer if this happens.


The printout includes a five page listing of all the Order Form's attributes, so allow plenty of time for printing. If you're interested, the printout is duplicated at the end of this chapter.

Step 3 Review the Printout

Have your printout in front of you before continuing.

While the five page printout may seem confusing if taken all at once, each page simply lists one or more of the attributes that have been assigned to the form's data fields.

This kind of printout is helpful for keeping track of what attributes have been assigned on any form you may be working with. The following brief descriptions will help you begin to understand the printout.



Page 4 lists all the attributes that have been assigned to the Order Form. Again, you may have to decipher each symbol; just notice that the key at the top identifies what attribute each symbol refers to (e.g., Q=required, J=right justify). If field names had been assigned, they would be listed.

Another helpful feature, shown here in the far right column, is the list of files (provided with your DataStar disk) that DataStar will access to calculate and fill in certain fields. The File Access Attribute is explained in Appendix A.

Page 5 lists the algebraic expressions that DataStar will use to calculate the content of certain fields.



You have now reviewed the printout for the Order Form. Because you can get a similar printout for any form you create, you always have a record of the attributes you've assigned.

Step 4 Review the Attribute Assignments

With the Order Form on your screen, move the cursor into the CUSTOMER # field. Use the following command to begin the attribute list.

PRESS [CTRL][R]

Help Screen R will appear, then the first line of the Order Form, and below that the first attribute (Field Name) will be listed.

After you've read each assignment, use the default* command below to continue the list. Do not change any of the assignments.

PRESS [RETURN]

*Default means the preassigned answer.



EXTRA HELP MESSAGES

For each attribute on the list, FormGen will display a Help Message that defines and explains the attribute.

PRESS **CTRL J** (for extra help)

The new help message will appear at the top of your screen.

PRESS **RETURN** (to delete the message and return to the attribute list)

When you have reviewed all the attribute assignments for the CUSTOMER # field, the entire form will be restored to your screen. You can use this procedure to review as many of the Order Form's data fields as you like.

As you move around the form, notice the changes on the Status Line at the top of the screen. When the cursor is *IN* a data field, the Status Line lists the length of that field, the position of the cursor within the field, and the Edit Mask Characters that have been assigned to that position in the field.

Step 5

Finish

This is the end of Section A. Use the following command to exit FormGen.

PRESS **CTRL C A Y**

Chapter Three

The Order Form's Attributes

Section B: Testing the Attributes

Step 1 Arrive in DataStar

At your system prompt, use the following command to invoke DataStar.

TYPE DataStar Order

Step 2 Add Mode

On your screen you will see the Add Mode Help Screen and your order form.

ADD MODE		current form=form name
Enter character to select new mode:		
A = Add new records	K = select records by KEY	E = Exit current form
I = SCAN in Index order	D = <u>SCAN</u> in Data file order	M = edit scan Mask
B = select Batch file	V = Verify batch file	
F = File maintenance	J = Help	SPACE = current mode

Two important fields on the Order Form, ORDER # and CUSTOMER #, are highlighted. They will appear bright, dim, highlighted, or in inverse video, depending on your terminal. On some terminals, there will be no special effect.

In each of the following steps you will experience how specific attributes work to control data entry. The attributes you'll be working with are listed at the beginning of each step. For additional clarification of certain attributes, check the list in Appendix A.

Step 3

Attributes: Pad Characters; Auto-Increment

When you begin to enter data on a form in the Add Mode, the cursor is usually positioned in the first data field.

On this form, however, the first field (ORDER #) contains the Field Derived by Calculation Attribute. This attribute means that DataStar will calculate (incrementing each record by one) and supply the information here. (There is no operator entry.) Therefore, the cursor is positioned at the right side (Right Justified) of the second field (M:month) for you to begin entering information.

Notice that both the ORDER # and MONTH fields are filled with 0's. This is an attribute called Pad Characters. In the MONTH field these pad characters supply the leading zero for months with numbers less than ten.

In the MONTH field:

TYPE a number LARGER than 12

The cursor *automatically* moves to the next field (D:day) because the previous field was filled.

For the "D" field:

TYPE today's date

If the number is less than 10, a leading 0 is required. (This field does not have Pad Characters assigned.)

Step 4

Attribute: Entry Control Characters (Constant, Unconditional and Automatic Copy)

The cursor moves to the YEAR field. A *constant* and *unconditional* (Attribute) number 8 is assigned here. This 8 will appear each time the form is used and will be saved with the data.

TYPE the second digit of the year

After the first use of the form at any given session, this character will be automatically duplicated. Once a character is typed here, the character can only be changed by recalling the form.

The cursor *automatically* moves to the next field.



Remember, if you make a mistake, you can use DELETE and CTRL G to erase (only the month and year fields on this form cannot be erased due to their attribute assignments). If for some reason your screen goes blank or fills with messages from the operating system, try using CTRL Z to restore your form. If you get an error message, read the message so you know what the error was, then press the ESC key.

Step 5

Attribute: Right-Justify and File Access (Field Derived From the File)

Notice that the cursor is positioned on the right side of the CUSTOMER # field. As you type the customer number, the cursor will remain stationary and the characters will move to the left as a group. This demonstrates the Right-Justify Attribute.

Notice that the BILL TO fields are empty.

TYPE either your telephone number (no hyphens) or one of these numbers (1111111, 2222222, 3333333, 4444444, 5555555, 6666666, 7777777, 8888888, 9999999) in the CUSTOMER # field.

Now, look at the BILL TO fields again. Data-Star automatically accessed the correct Customer file (specified by the number you typed in the CUSTOMER # field), and supplied the corresponding name and address information in the BILL TO fields. This attribute is known as File Access.

The cursor has moved to the field SHIP TO.

TYPE any name

PRESS **RETURN**

The cursor moves to the field ADDRESS.

TYPE any address

PRESS **RETURN**

Step 6 **Attribute: Auto Case-Shift**

For Ship to CITY:

TYPE the name of a city *(using all lowercase letters)*

Note that the first letter is automatically changed to uppercase.

PRESS **RETURN**

Step 7 **Attribute: Letters Only**

The cursor moves to the STATE field.

TYPE a number

An error message appears. Read the error message.

PRESS **ESC**

TYPE two lowercase letters that are not a state (for example, xx)

Note, since the content control code for these positions specified auto case shift, both letters are automatically changed to uppercase. Because you filled the field, the cursor automatically moves to the ZIP CODE field.

Step 8 Attribute: Numbers Only

For ZIP CODE:

TYPE a letter

An error message appears. Read the error message.

PRESS **ESC**

TYPE a zip code

Because you filled the field, the cursor automatically moves to the P.O. # field.

Both numbers and letters are allowed.

TYPE a complex sample purchase order
(such as XYZ123456)

You *don't* have to fill the field.

If you don't fill the field:

PRESS **RETURN**

If you do fill the field, the cursor will automatically move to the SHIP VIA field.

TYPE a method of shipping
(e.g., parcel post, using lowercase letters)

Again, the letters are automatically changed to uppercase.

PRESS **RETURN**

The cursor moves to the TERMS field.

TYPE payment of terms (e.g., "net 30," using lowercase letters)

Again, the case of the letters is shifted from lowercase to uppercase.

PRESS **RETURN**

The cursor moves to the QUANTITY field.

PRESS **RETURN** (leaving the quantity blank)

The cursor moves to the PRODUCT field.

Step 9 Attribute: File Access

Before you enter any information in the PRODUCT field, examine the list of product codes on page 3-21. Select a product code from the list.

TYPE the Code (in the PRODUCT field)

You do NOT have to type the hyphen (-). Like the 8 in the YEAR field, the hyphen is a constant. Because the hyphen is a *conditional* constant (defined to appear when a character is on either side), it appears only after the second character is entered.

After you typed a product code, DataStar accessed the Products.dta file, selected the information that matched the code you typed, and entered the product description and unit cost in the appropriate fields.

The next line is optional. If nothing else was ordered, you could save the form at this point. However, we will enter a second item.

In the QUANTITY field:

TYPE a letter

Read the error message.

PRESS **ESC**

TYPE a number (99 or less)

PRESS **RETURN**

TYPE another product code (from the list on page 3-22.

After you entered the product code, DataStar accessed the Products.dta File, selected the matching data, and supplied this data in the appropriate fields.

Step 10 Attribute: Range Verify

Because this is the last field on the form that requires an operator to enter data, DataStar assumes the form is complete, checks the fields, and begins to point out errors.



REMEMBER

Remember, when DataStar displays an error message, the cursor will simultaneously point to the field that is the cause of the error.

Read the error message.

PRESS [ESC]

Correct the data at the cursor location (the M field) by entering the current month. If the number is less than "10," a leading 0 is required. (The 0-fill Attribute works only in the beginning data entry phase.)

The cursor may move into the next field (DAYS). Signal the end of entry.

PRESS [ENTER]

Step 11 Attribute: Required Field

Another error message appears. Read the message.

PRESS [ESC]

The cursor moves to the first QUANTITY field because this field contains the Required Attribute.

TYPE a number (press RETURN if the number is less than 100)

Then signal the end of entry.

PRESS **CTRL B**

Step 12 Attribute: File Verify

DataStar switches to Verify Mode, and another error message appears. Read the message.

PRESS **ESC**

Replace the invalid state abbreviation with a real one, and go on to the next step.

Step 13 Attribute: Retype Verify

The cursor moves to the P.O. # field. This field has been assigned the Retype Verify Attribute. Before the data can be saved (in this field, or the entire form), what is typed in this field must be identical two times in a row. Originally, you typed a "complex number" here. Now you will type something else.

TYPE your initials (lowercase letters will be shifted to uppercase)

TYPE the numbers of your address

PRESS **RETURN** (if you don't fill the field)

An error message appears because there was no match with the information you had previously typed here.

PRESS **ESC**

TYPE your initials

TYPE the numbers of your address

PRESS **RETURN** (if you don't fill the field)

The field goes blank; once again, you are asked to retype the same information.

TYPE your initials

TYPE the numbers of your address

PRESS **RETURN** (if you don't fill the field)

Now there is a match, DataStar accepts the information and the cursor moves to the first QUANTITY field.

Step 14 Attribute: Sight Verify and Calculated Field

The cursor moved to the first QUANTITY field because this field contains the Sight Verify Attribute. Sight verification serves as a final check that the data is correct. If the data is not correct, you can change it. Assume the number is right, and signal the end of entry.

PRESS **CTRL** **B**

Now the corresponding TOTAL COST, SALES TAX, and TOTAL fields are calculated and entered by DataStar.

The cursor moves to the next QUANTITY field, again for sight verification. Assume that the number is correct and signal the end of entry.

PRESS **CTRL** **B**

Again DataStar made the necessary calculations and entered the results in the TOTAL COST, SALES TAX, and TOTAL fields.

To compute the Tax Rate, DataStar went to the Okstates.dta file (provided with your disk) and selected the tax rate that matched the State name in the BILL TO portion of your form.

Step 15 Attribute: Constant
(Unconditional; Conditional)

Notice the position of the dollar signs (\$), decimals, and commas.

The dollar signs have been defined to be an unconditional, floating constant.

The commas have been defined as a conditional constant and appear only if a character is on either side.

Step 16 Attribute: Auto-Increment

Look at the ORDER # field. DataStar has calculated (increasing the number by one each time a record is filed) and entered the ORDER #.

All data is now correct.

Step 17 Store the Data

As the prompt indicates:

PRESS **RETURN** (to store the data as
a Customer Record)

A blank form is returned to your screen.

Step 18 Create More Records

You can use this Order form to get more practice at data entry. This practice can be especially helpful for data entry operators.

Enter as many records as you like. If an error message is presented, simply make the required change and continue data entry. If you do not understand an attribute requirement, you can always return to FormGen and look at the attributes that have been assigned to the Order form's fields.

Step 19 **Look at Your Records**

If you have created several records, you might want to practice retrieving those records. Follow these steps.

PRESS **CTRL E** (to exit the Add Mode)
Select either **D** (scan in data file order) or **I** (scan in index file order) from the Mode Selector Screen.

DataStar will begin to display the records. Use **CTRL N** to move through the file. When you finish looking at the records, go on to the next step.

Step 20 **Finish**

You have completed your study of the Order Form and its attributes. Leave the Order Form on your screen while you read the Chapter Summary. Then use the exit command below.

PRESS **CTRL E E C**
(to exit DataStar)

Chapter Three

Summary

First, scan the chapter to review all the new information boxes. Then read the information below.

In FormGen you...

- Invoked the Order Form.

- Used CTRL W to print the form and the field attribute assignments.

The screenshot shows a form with the following fields and sections:

- Order #: _____
- Date (M/Y/D): _____
- Customer #: _____
- Bill to: _____
- Address: _____
- City: _____
- State: _____
- Zip code: _____
- Ship to: _____
- Address: _____
- City: _____
- State: _____
- Zip code: _____
- P O #: _____
- Ship via: ☐ _____
- Terms: _____
- Quantity Product Description Unit Cost Total Cost
- Tax Rate: _____ % Sales Tax: _____ Total: _____

Annotations:

- An arrow points from the bullet "Invoked the Order Form." to the "Order #" field.
- An arrow points from the bullet "Reviewed the field attribute assignments (on-screen) by positioning the cursor in a field, pressing CTRL R, reading each assignment, then pressing RETURN." to the "Ship via" field.

- Reviewed the five page printout (p.00).

- Reviewed the field attribute assignments (on-screen) by positioning the cursor in a field, pressing CTRL R, reading each assignment, then pressing RETURN.

Chained DataStar by pressing CTRL C D.

In DataStar you...

Used the Order Form's attributes to:

- Cause DataStar to access a reference file and supply data for a field.
- Point out incorrect data.

Order # 0000002	Date (M/Y/D) 11/05/81	Customer # 4577077
Bill to Business Systems	Ship to: SAME	
Address 1000 Fifth Street	Address	
City San Rafael	City	
State CA	State	
Zip code 94903	Zip code	
P O # AR622	Ship via PP	Terms NET 30
Quantity Product	Description	Unit Cost Total Cost
12 WS-8I	WordStar - 8" CP/M STD	495 00 5 940 00
44 DS-8I	DataStar - 8" CP/M STD	350 00 15 400 00
Tax Rate	6% Sales Tax 1280 40	Total 22 620 40

- Verify by retyping.
- Calculate field data.



ORDER FORM LISTING AND FIELD ATTRIBUTE DEFINITIONS

FIELD NUMBERS

Order #: 1 Date (M/D/Y): 2/3/4 Customer #: 5

Bill to: 6 Ship to: 11
 Address: 7 Address: 12
 City: 8 City: 13
 State: 9 Zipcode: 10 State: 14 Zipcode: 15

P. O. #: 16 Ship via: 17 Terms: 18

Quantity	Product	Description	Unit Cost	Total Cost
<u>19</u>	<u>20</u>	<u>21</u>	<u>22</u>	<u>23</u>
<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>	<u>28</u>

Tax Rate: 29% Sales Tax: 30 Total: 31

ORDER FORM LISTING AND FIELD ATTRIBUTE DEFINITIONS

RANGE CHECK, LOW

Order #: Date (M/D/Y): 01/01/ Customer #:

Bill to: Ship to:
 Address: Address:
 City: City:
 State: Zipcode: State: Zipcode:

P. O. #: Ship via: Terms:

Quantity	Product	Description	Unit Cost	Total Cost
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Tax Rate: % Sales Tax: Total:

RANGE CHECK, HIGH

Order #: Date (M/D/Y): 12/31/ Customer #:

Bill to: Ship to:
 Address: Address:
 City: City:
 State: Zipcode: State: Zipcode:

P. O. #: Ship via: Terms:

Quantity	Product	Description	Unit Cost	Total Cost
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Tax Rate: % Sales Tax: Total:

ORDER FORM LISTING AND FIELD ATTRIBUTE DEFINITIONS

ENTRY CONTROL MASK

Order #: _____ Date (M/D/Y): __/__/__X Customer #: _____

Bill to: _____ Ship to: _____
 Address: _____ Address: _____
 City: _____ City: _____
 State: _____ Zipcode: _____ State: _____ Zipcode: _____

P. O. #: _____ Ship via: _____ Terms: _____

Quantity	Product	Description	Unit Cost	Total Cost
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Tax Rate: __% Sales Tax: __' Total: __' _____

CONTENT CONTROL MASK

Order #: 9999999 Date (M/D/Y): 99/99/99 Customer #: 9999999

Bill to: _____ Ship to: Cccccccccccccccccccccc
 Address: _____ Address: Cccccccccccccccccccccc
 City: _____ City: Cccccccccccccccccccccc
 State: _____ Zipcode: _____ State: CC Zipcode: 99999

P. O. #: HHHHHHHHHH Ship via: DDDDDDDDDDD Terms: HHHHHHHHHH

Quantity	Product	Description	Unit Cost	Total Cost
999	CC-GC	_____	_____	_____
999	CC-GC	_____	_____	_____

Tax Rate: __% Sales Tax: _____ Total: _____

ORDER FORM LISTING AND FIELD ATTRIBUTE DEFINITIONS

FIELD ATTRIBUTE DEFINITIONS

Q=required
 C=check dgt
 J=right just
 W=write ed c
 O=oper entry
 R=range chk PAD/
 E=edit mask FLOAT

* * D E R I V E D *
 . LIST CALC *****VERIFICATION****

FLD LEN LIN COL KEY E-edit mask FLOAT . FIELD NUM ORDER . ORDER FILE NAME

001/ORDER NUMBER
 007 000 009 001 . JWO E . P0 . 001 N .

002/MONTH
 002 000 036 . Q JW RE . P0 . .

003/DAY
 002 000 039 . Q RE . . .

004/YEAR
 002 000 042 . Q W E . . .

005/CUSTOMER NUMBER
 007 000 063 . Q J E . . . L 002 CUSTOMER

006/BILL NAME							
020 002 012	.	.	.	005	001	.	
007/BILL ADDRESS							
020 003 012	.	.	.	005	002	.	
008/BILL CITY							
020 004 012	.	.	.	005	003	.	
009/BILL STATE							
002 005 012	.	.	.	005	004	. L	003 OKSTATES
010/BILL ZIPCODE							
005 005 027	.	.	.	005	005	.	
011/SHIP NAME							
020 002 047	.	Q	E	.	.	.	
012/SHIP ADDRESS							
020 003 047	
013/SHIP CITY							
020 004 047	.	.	E	.	.	.	
014/SHIP STATE							
002 005 047	.	.	E	.	.	. L	004 OKSTATES
015/SHIP ZIPCODE							
005 005 062	.	.	E	.	.	.	
016/P O NUMBER							
012 007 009	.	Q R	005
017/SHIP VIA							
012 007 034	.	Q	E	.	.	.	
018/TERMS							
011 007 059	.	Q	E	.	.	.	
019/QUANTITY 1							
003 011 002	.	Q	J	E	.	. S	006
020/PRODUCT 1							
005 011 013	.	Q	W	E	.	. L	007 PRODUCTS
021/DESCRIPTION 1							
025 011 022	020	002	
022/UNIT COST 1							
007 011 050	.	J	E	.	P	F\$	020 003
023/TOTAL COST 1							
011 011 059	.	J	E	.	P	F\$	008 N
024/QUANTITY 2							
003 012 002	.	J	E	.	.	. S	009
025/PRODUCT 2							
005 012 013	.	.	W	E	.	. L	010 PRODUCTS
026/DESCRIPTION 2							
025 012 022	025	002	
027/UNIT COST 2							
007 012 050	.	J	E	.	P	F\$	025 003
028/TOTAL COST 2							
011 012 059	.	J	E	.	P	F\$	011 N
029/TAX RATE							
003 014 017	.	.	E	.	.	009	002
030/SALES TAX							
009 014 036	.	.	E	.	.	.	012 N
031/TOTAL							
011 014 059	.	J	E	.	P	F\$	013 N

ORDER FORM LISTING AND FIELD ATTRIBUTE DEFINITIONS

CALCULATIONS

#001=ORDER NUMBER+1
 #023=QUANTITY 1*UNIT COST 1
 #028=QUANTITY 2*UNIT COST 2
 #030=TAX RATE*(TOTAL COST 1+TOTAL COST 2)/100
 #031=TOTAL COST 1+TOTAL COST 2+SALES TAX

FILE NAME: CUSTOMER.DTA

PURPOSE: Contains customer information

NOTE: This is the file as distributed. It may contain additional data through use of the demonstration.)

Automated Products,23467 Hollywood Blvd.,Los Angeles,CA,90039,1111111
Business Electronics,1700 Fifth Ave.,New York City,NY,10011,2222222
Computer Devices,1455 Van Ness, San Francisco,CA,94926,3333333
The Computer Center,1555 Fifth Avenue,New York,NY,10017,4444444
Electronic Ecstasy,3218 Collins Ave.,Miami, FL,33139,5555555
Futuristic Funthings,Five-fifty 55th St.,Fresno,CA,93706,6666666
Global Gizmos,36477 N. W. First St.,Portland,OR,97231,7777777
Herb's Computer Co.,1980 Main Street,Scarsdale,NY,10583,8888888
Integrated Systems,9000 Main Street,Dallas,TX,75207,9999999

FILE NAME: PRODUCTS.DTA

PURPOSE: Contains some MicroPro product codes and information

(THE FIRST FIVE CHARACTERS DESIGNATE THE PRODUCT CODE.)

DS-5D, "DataStar - 5" " Dynabyte",350.00
DS-5H, "DataStar - 5" " Heath",350.00
DS-5M, "DataStar - 5" " Micropolis",350.00
DS-5N, "DataStar - 5" " North Star",350.00
DS-8I, "DataStar - 8" " CP/M STD",350.00
DS-RM, DataStar Reference Manual,60.00
MM-5D, "MailMerge - 5" " Dynabyte",150.00
MM-5H, "MailMerge - 5" " Heath",150.00
MM-5M, "MailMerge - 5" " Micropolis",150.00
MM-5N, "MailMerge - 5" " North Star",150.00
MM-8I, "MailMerge - 8" " CP/M STD",150.00
MM-RM, MailMerge Reference Man.,20.00
WS-5D, "WordStar - 5" " Dynabyte",495.00
WS-5H, "WordStar - 5" " Heath",495.00
WS-5M, "WordStar - 5" " Micropolis",495.00
WS-5N, "WordStar - 5" " North Star",495.00
WS-8I, "WordStar - 8" " CP/M STD",495.00
WS-RM, WordStar Reference Manual,60.00

FILE NAME: OKSTATES.DTA

PURPOSE: Contains "legal" postal state abbreviations and tax rate information.

AK,0.0	MT,0.0
AL,6.0	NC,4.0
AR,3.0	ND,3.0
AZ,5.0	NE,4.5
CA,6.0	NH,0.0
CO,6.5	NJ,5.0
CT,7.5	NM,4.0
DC,8.0	NV,3.5
DE,0.0	NY,4.0
FL,4.0	OH,4.0
GA,4.0	OK,4.0
HI,4.0	OR,0.0
IA,3.0	PA,6.0
ID,3.0	RI,6.0
IL,6.0	SC,4.0
IN,4.0	SD,5.0
KS,3.0	TN,4.5
KY,4.0	TX,5.0
LA,5.0	UT,4.5
MA,5.0	VA,4.0
MD,5.0	VT,3.0
ME,5.0	WA,5.3
MI,4.0	WI,4.0
MN,5.0	WV,3.0
MO,4.0	WY,3.0
MS,5.0	

Chapter Four

Advanced DataStar

Section A: Designing a Usable Form



This chapter contains all the information you will need to create an original form, to store records, and to retrieve or print those records. Specific definitions of terms and procedures that have been introduced in previous chapters are not repeated in this chapter, although a page number is provided for reference. If this is your first experience with DataStar, you may need to complete at least Chapters One and Two before continuing.

ONLY FORM DESIGNERS NEED TO COMPLETE THIS CHAPTER!

Throughout this section we will refer to the form you are creating. Since DataStar can be used for a wide range of data handling activities, the word "form" could refer to applications such as lists, directories, catalogs, etc. (see Appendix C).

Step 1 **Decide What Form To Use**

Because your data handling needs are unique, you are best able to design a form that will handle your data entry jobs. However, to begin thinking about form design, look at the sample forms provided in Appendix C.

Once you have an idea for a form, sketch the form on paper or experiment with the design right on your screen. For design considerations, go on to the next step.


If you don't have an original form idea, you can see the Preferred Customer Form shown in this chapter.

Step 2

Consider Your Design

How much screen space is available for my form?

Default (i.e., normal) form size is 79 columns wide by 17 lines long. It is possible to create larger forms, up to 255 characters wide and 255 lines long, by adding columns and lines to the default form size (using CTRL B and CTRL N). However, smaller forms are loaded faster (during data entry), take up less memory, and avoid unnecessary lines. For details on this procedure, turn to page 1-11 of the DataStar User's Guide 1.1.



What is the best layout for my form?

The placement of data fields on your form deserves careful attention. Consider these factors:

1. The most important information should be placed near the top (easy to see).
2. Calculated fields often need to follow a sequence. While DataStar can supply calculations anywhere on the form, the form's readability may depend on a particular order.
3. File accessed fields may require a special order. This is an attribute assignment that requires special reference files (see Appendix A).
4. Avoid crowding information on the form. Cluttered forms are difficult to use.

Preferred Customer List		Fourth Quarter 1981	
Customer #	Amount Purchased	Order Code	
Name: _____	_____	9/81	_____
Address: _____	_____	10/81	_____
City: _____ State: _____	_____	11/81	_____
Zip code: _____ Phone: _____	_____	12/81	_____
Total Fourth Quarter \$ _____			

Poor Design

Preferred Customer List		
Fourth Quarter 1981		
Customer #	Amount Purchased	Order Code
Name: _____	9/81 _____	_____
Address: _____	10/81 _____	_____
City: _____ State: _____	11/81 _____	_____
Zip code: _____ Phone: _____	12/81 _____	_____
Total Fourth Quarter \$ _____		

Good Design

How large does each field need to be?

Although you can lengthen the size of all but the Key field later on, it is not advisable to shorten field size once your form has been used for data entry. (You'll get an error message.) The size of a Key field CANNOT be adjusted after the form has been used for data entry. To do so would change the arrangement of information in the index file and require re-entering records. Be careful to count out the number of spaces you need for each field. For example, a calculated field must be large enough to hold the largest calculation.

What special characteristics can I give my data fields?

Although the following characteristics are not assigned to your data fields until the form layout is complete (field definition phase), you should know about them as you design your form.

Must enter
NUMBERS only

Preferred Customer List Fourth Quarter 1981			
Customer #	Amount Purchased		Order Code
Name: _____	9/81	_____	_____
Address: _____	10/81	_____	_____
City: _____ State: _____	11/81	_____	_____
Zip code: _____ Phone: _____	12/81	_____	_____
Total Fourth Quarter \$		_____	_____

Must enter
A-Z only

FILE DERIVED
(from a separate reference
file of monthly invoices)

Right justified; floating character;
Decimal aligned; calculated

Attributes You Can Assign

Three types of fields: entered, derived, combination.

Three alignments: left or right justified, decimal aligned.

Constant characters: pad, floating, auto-duplicated.

Step 3 Make a Work Disk for Your Files

Because you are about to create new files that will, no doubt, contain many records, it is advisable to establish these files on a separate (work) disk.

Check your system manual for the correct procedure. If your system has two drives, creating a work disk may simply mean inserting a blank (formatted) disk in Drive B (for your files) and keeping the DataStar program disk in Drive A.

When you need to refer to your files hereafter, you will type the letter of the drive in which they are located before the filename.

Example:

FormGen B:Junk



To protect your files:

- Do status checks frequently; always do a status check before you begin a new form to see if there is sufficient space on your disk.
- Keep large files on separate disks.
- Make backup copies of your files.
- **SAVE** your work frequently when you're creating a form.
- Once the final form design has been completed and that form has been used for data entry, you can protect your form further by using STAT to assign it the Read/Only characteristic (CP/M 2.2 or MP/M only).

STAT formname \$R/O

Until the form has been restored to the Read/Write condition, it is protected against accidental erasure or alteration.

Step 4 Invoke FormGen

After you've sketched out your form, decided on a name (1-8 characters), and created a work disk, you are ready to begin typing.

At your system prompt, invoke FormGen.

TYPE FormGen

The copyright will be displayed and then this prompt:

Enter name of form definition file or
press RETURN

TYPE the name of your form

PRESS **RETURN**

For new forms, DataStar will take you first to FormGen Help Screen 4. If you have not done so before, read Help Screen 4. Next, rotate and review all the Help Screens, stopping at Screen 2.

PRESS **CTRL J**

Step 5 Type Your Form

With the sketch of your form in front of you, begin typing by using the cursor commands listed on Help Screen 2.

Remember, a form's background text is typed and CTRL Q or the underline key is used to create data fields.

Use CTRL Z to delete an entire field.

The Status Line keeps track of important information for you as you type (see page 3-4).



MOVING LINES AROUND ON YOUR FORM

There is a technique for moving entire lines around on your form. The last line on every form is reserved as a BUFFER LINE, a line that will hold the contents of one full line until you can move it to a new area.

Here's how you move lines. Position the cursor on the line you want to move.

PRESS **[CTRL]P**

That line will now be copied to the last line of your form.

Now move the cursor to the new location where you want to insert the line.

PRESS **[CTRL]N**

A copy of the line is now inserted into your form in front of the line where you placed the cursor.

When you have finished using the buffer line, you must delete the information from the last line on your form.

PRESS **[CTRL]Y** (to delete the last line on your form)

1. PRESS - P
The Customer # line
moves to the last line
on the screen.

Preferred Customer List
Fourth Quarter 1981

Customer #	Amount Purchased	Order Code
Name: _____	9/81 _____	_____
Address: _____	10/81 _____	_____
City: _____ State: _____	11/81 _____	_____
Zip code: _____ Phone: _____	12/81 _____	_____
Total Fourth Quarter \$ _____		

Customer # _____

Customer # _____

2. Move the cursor here and
PRESS - N; the line moves
to the new location

Buffer Line

Step 6 Assign a Key Field

When you finish typing, read the information below.



KEYFIELDS

Before a form can be stored in the FormGen file (form definition file), at least one field must be designated a KEY field. The purpose of a Key field is to provide quick access to individual records in the following way. When you enter data on your form (later on in DataStar), the entire record is stored in the data (.dta) file and a copy of the Key field plus a pointer (that points to the full record in the datafile) is stored in the index (.ndx) file. The index file allows DataStar to access specific records quickly by scanning Key field data rather than entire records.

Because the Key field is used for quick record retrieval, your Key field should meet these requirements:

1. Contain unique information (unlike name fields which may have duplicates).
2. Contain no more than 120 characters.

Contain the necessary number of spaces when needed. The Key field also CANNOT be set after data entry (without recalling All your records and creating a new index first). Although you may assign more than one Key field, each additional character adds to the length of the information stored in the index file and slows down the record retrieval process. It's also important to note that additional Key fields do not create alternate indexes.

Keeping in mind the Key field considerations you just read, decide which field on your form will be the Key field.

Then move the cursor INTO that field.

PRESS **CTRL** **K**

The field will fill with asterisks as shown in the illustration below.

Customer# **■** _ _ _ _ _

Customer# *****

Step 7 Assign Highlighting

You can highlight areas of your form by using CTRL O to set the highlight and CTRL L to delete it (if highlighting has been installed for your terminal). For specifics on DataStar highlighting capabilities, turn to the User's Guide 1.1, page 1-10.

Step 8 Save Your Form

When you have checked over your form to make sure the arrangement of data fields and background text is correct, you are ready to store the form.

PRESS **CTRL** **C**

Once you have signaled that the form is finished, several things may or may not occur, depending on the condition of your form. Review these possibilities:

1. If there are no errors on your form, the Enter Exit command prompt will be displayed (see illustration below). At this point you could:

PRESS **[B]** (to save the form and boot the system; then take a break)

PRESS **[C]** (to save the form and continue)

Enter exit command:
A = Abort without saving form
C = save form and Continue
SPACE = continue without saving form
B = save form & Boot operating system
D = save form and chain DataStar
(A/B/C/D/SPACE): █

2. If there are error conditions in your form, FormGen will display a list of the errors. A complete list of possible FormGen Error Messages is included in Appendix B.

However, the only two error messages that could occur at this point are:

No Key field has been established.

Key field longer than 120 characters.

If either of these messages is displayed after you've pressed CTRL C:

PRESS the **[SPACE BAR]** (to restore your form to the screen)

Make the necessary corrections.

PRESS **[CTRL][C][C]**

Step 9 **Edit Your Form**

You can edit and rearrange your form as many times as you like before data has been entered on the form in DataStar.

At this point your alternatives are:

1. Edit the form, and then use the save and continue command (CTRL CC) a second time. The new version of the form will be stored in the FormGen file, and the first version will become a backup file. Use this save command frequently to guard against losing your work because of a power shortage, etc.

2. Print your form.

PRESS **CTRL W**

3. If you think the arrangement of your form is correct, go on to Step 10 to assign attributes.

4. Exit FormGen.

PRESS **CTRL C B**

Step 10 **Assign Attributes**

If you exited FormGen after the last step, use the following command at the system prompt to bring up your form.

TYPE FormGen and the name of your form



ATTRIBUTES

Attributes are characteristics that you can assign to your data fields when you create the form. In general, they can do three things for a data field:

1. protect against incorrect data entry;
2. provide the data for a field (e.g., file derived, calculated);
3. provide format conditions.

Attributes are stored with the form in the FormGen (form definition) file. The attributes, or instructions for controlling the operation of the data field, are interpreted and executed by DataStar during data entry.

Attributes are defined on page 2-3 of this Guide. The assignment procedure is covered in Chapter Two, Section A.

Look at the list of attributes in Appendix A. You can assign as many (or no) attributes as you like to any field. However, unnecessary assignments will slow down data entry processing. Also, since some attributes are interdependent, it's important to become familiar with the information in Chapters Two and Three before you begin making assignments.

DataStar 1.4 has two new attributes that may be helpful to use on your form: Field Names and Intermediate Fields. Any field on your form may be assigned a field name for easy reference. Intermediate Fields can be assigned to hold temporary data, i.e., calculations. This data is not stored in the file. Check the addendum to your DataStar Reference Manual for more information on these new attributes.

Consider the first field on your form. Which attributes would best serve the kind of data that will be entered there? If the first field is a Name field, you may want to assign the Required Attribute (as the name may be critical) and, under the Edit Mask, the "A-Z letters only" Attribute.



The File Access Attribute may require some further reading. See pp. 2-14 — 2-16 and Appendix A in DataStar User's Guide 1.1.

After you have decided which attributes you will assign, position the cursor *IN* the data field and enter the following command to begin the attribute list.

PRESS **CTRL** **R**

Notice that Help Screen R is displayed, and the attribute list begins. For more details on this procedure, read page 2-4 in this Guide.

For each query on the attribute list you may:

1. PRESS **RETURN** if you want to keep the default answer.
2. Choose the attribute by typing the called for response.
3. PRESS **CTRL** **E** to retrace your steps.
4. PRESS **CTRL** **C** to end the list and restore your form.
5. PRESS **CTRL** **J** for more explanation.

Continue through the list, assigning or reading the attributes until the list is finished and your form returns to the screen.

If you want to assign attributes to other fields, simply move your cursor into the field and repeat this step.



Step 11 **Store Your Form and Its Attributes**

When you have finished your attribute assignments (field definition phase), you will need to store the attributes in the FormGen file.

PRESS **CTRL** **C**



When an edited version of a form is stored, FormGen automatically renames the old version of the form "filename.bak" before writing the current version to the disk.

After entering the form done command, the Enter Exit command prompt will appear, and then one of two things will happen:

1. If your form does not meet FormGen's requirements (contains error conditions), FormGen will list these errors on the screen. Appendix B lists these errors and how to fix them. All errors must be corrected before FormGen will accept your form. You can also get a printout of the errors by pressing L. (Be sure your printer is ready.)

Next, PRESS C to return to your form and correct all errors. When you've finished, use the form done command, CTRL C, a second time.

2. If your form doesn't have any errors. FormGen will display the Enter Exit command prompt. Next, choose from these alternatives.

- Press C to return to your form and re-check the field attribute assignments. You may change the assignments until data is entered on your form in DataStar.
- PRESS D to save your form and proceed to DataStar. Then continue on to Section B.
- PRESS B to save your form and exit FormGen.

Chapter Four

Advanced DataStar

Section B: Data Entry

Step 1 Get Organized

Gather the lists, office records, or customer files that you want to enter on your form in DataStar.

Step 2 Chain DataStar

If you are continuing from Section A and have your form on the screen, use the following command to save your form and proceed to DataStar:

PRESS **CTRL C D**

If you exited FormGen after the last section, type the following command at your system prompt:

TYPE **DataStar plus the name of your form**

If a form has been used previously for data entry, that form will have corresponding data (.dta) and index (.ndx) files established in DataStar. Since this is a new form, DataStar checks for those files, finds none, and then presents this prompt:

Enter disk drive to use for the data file file-name.dta (A/B...)

Enter disk drive to use for the index file file-name.ndx (A/B...)

Establish your new files on the separate drive you are using for your work disk.

TYPE the letter that specifies the disk drive for your files

The second prompt is displayed.

TYPE the same letter for the index files

PRESS **RETURN**

After you have selected which drive you want to use for your files, your form will go through the DataStar default process for new forms and arrive in the Add Mode, ready for data entry. For more information on the Add Mode, check page 1-9 of this Guide.



Remember, in DataStar CTRL J (toggle on/off) will delete the Help Screen and provide maximum screen space for your form. You can also get additional help (e.g., an explanation of the Add Mode) by pressing CTRL E to exit the mode, then J for additional help, then the letter of the mode you want defined (in this case A). To return to Add Mode, after you have read the message, press any key and then type A.

Step 3 Enter Data

Review the new cursor commands listed on the Add Mode Help Screen.

Your cursor will be positioned in the first data field (unless you have assigned an attribute that makes it skip a field), ready for you to begin entering data.



- In DataStar the cursor will move only in the data fields. When a field is full, the cursor automatically moves to the next field.
- Once you have begun to store records on this form, you cannot shorten the size of the data field(s).
- If you've assigned the Calculate or File Derived Attributes, your cursor will not enter those fields (unless you assigned the Allow Operator Attribute).

Enter data on your form. When all required fields are completed, end entry processing will begin automatically if the last field is full; otherwise, use the end entry command.

PRESS **CTRL B**

DataStar will then do one of the following:


- Present an Error Message. You will have to correct the error before your data can be stored. Appendix B contains a list of error messages.
- Enter Verify Mode if you have assigned this attribute. Press RETURN after checking the data.
- Present this prompt:

Hit Return to file entered data.

PRESS **RETURN**

DataStar will store your entire record in the data file (.dta) and a copy of the Key field in the index file (.ndx). An empty form is returned to your screen.

The following illustration shows the data flow for the entire DataStar system, from FormGen to DataStar's data and index files.



Data Flow in the DataStar System

Step 4 Create More Records

Repeat Step 3 until you have several records stored in the data file.

Step 5 Retrieve All Your Records

After you have stored at least three records, you can practice retrieving those records from the data file.

To have a look at all records in your file:

PRESS **CTRL E** (to change modes)

SELECT **D** (scans records in data file order)

DataStar will go to the data file (which contains all your records in the order they were entered) and display each record, one at a time.

The last record you entered will appear on your screen.

PRESS **CTRL N** (to see the next record)

PRESS **CTRL P** (to go backwards)

When DataStar comes to the end of the file, an end of file message is displayed:

End of file.
Hit ESC key to continue scan:

PRESS **ESC**

Records may be modified, deleted, or printed when they are retrieved through any of the Scan Modes. There will be more information about this procedure in Steps 9 and 10.

Go on to the next step after you've seen all your records.

Step 6 Retrieve a Specific Record

DataStar's select by Key Mode provides rapid access to specific records. To use this mode:

PRESS **CTRL E** (to leave the current mode)

SELECT **K** (from the Mode Selector List)

A blank form is displayed and the cursor is positioned in the field you assigned as the Key field.

TYPE in the exact (Key field) information that you had used before on one of your customer records.

If you designated more than one Key field, you must type the correct data in all those fields. (The cursor will not move into non-Key fields). You may have to use the end of entry command (CTRL B) or RETURN if the information does not fill the field.

There's the record!



Step 7 Retrieve Groups of Records

The Scan Mask provides a method for retrieving groups of records that have matching data in a specific field(s) or portion of a field or fields (e.g., all customers who purchased merchandise in June). To use the mask:

PRESS **CTRL E** (to change modes)

When the Mode Selector List is displayed:

SELECT M

Then read the new information following.



HOW THE SCAN MASK WORKS

When you begin to work with the Scan Mask, your form is displayed with asterisks in every field. The asterisks indicate that the mask can be edited in any field to allow specific information from your records to filter through.

Preferred Customer List Fourth Quarter 1981			
Customer #	Amount Purchased	Order Code	
Name:	9/81	
Address:	10/81	
City: L.A. State: ..	11/81	
Zip code: Phone:	12/81	
Total Fourth Quarter \$			

DataStar will display all preferred customer records from L.A.

Once you have selected and typed in data that is present in some records and not in others, DataStar will then switch to either the Index or Data Scan Modes and retrieve all records that fit the mask. For more information, check pp. 4-8 in the DataStar User's Guide 1.1. The following steps will guide you through this process.

PRESS **CTRL** **A** or **CTRL** **F** (to move the cursor into the field you want to edit)

Then type in appropriate data.

PRESS **CTRL** **B** (for the end of entry command)

DataStar will switch to the current scan mode, either Data or Index, and display the first matching record. If no records match exactly, a "No Match" prompt will be displayed.

PRESS **CTRL** **N** (to see the next record), or

PRESS **CTRL** **P** (to see the previous one)

When the end of file message is displayed:

PRESS **ESC**

Look at your records one more time to make sure you've seen all of them.

After you've seen your records, the Scan Mask needs to be cleared for later use.

PRESS **CTRL E** (to change modes)

SELECT M (to return to the mask)

Move the cursor into the field(s) that you previously edited and

PRESS **DEL** or **CTRL G** (to remove the information and return the asterisks to the field)

Step 8 **Modify and Delete Records**

You can modify or delete any record that you have retrieved through the Scan or Select by Key Modes. For this example we will use the Index Scan Mode.

PRESS **CTRL E I** (enter the Index Scan Mode)

Rotate your records until you find one you want to modify. Use the edit commands listed on the Help Screen to change the data on the record. When finished:

PRESS **CTRL B** (for end of entry)

If you have assigned the Verify Attribute, Verify Mode will be invoked. After you've verified the data:

PRESS **RETURN**

A screen message will come up about storing the updated data.

PRESS **RETURN** (to store the updated record)

You can also delete a record while in one of the Scan Modes. Invoke the Index Scan Mode, as you did above. When the record you want to delete is displayed on your screen:

PRESS **CTRL B** (to signal end of entry)

This prompt is displayed:

Hit RETURN to go to next form, RUB (delete) to remove data from file, or control E to exit the current mode.

Pressing DEL or RUB removes the record from the Scanning Modes. However, the old record is still taking up space within the main file and will not be totally disposed of UNTIL FILE MAINTENANCE IS PERFORMED. See Chapter Five, Section B.

Step 9 Print Records

You can print your records while in several different modes. Read the following new information before attempting to print:



PRINTING

You can print your records while using either of the Scan Modes, the Select by Key Mode, or the Add Mode (the current on-screen record is printed). Remember these points:

- If the Scan Mask has been altered, only those records that fit the Scan Mask will be printed in either the Data or Index Scan Modes. Clear the mask and then all the records in your file will be printed.
- Printing starts at the current record in the file.
- CTRL U prints the form and the data.
CTRL O is used for printing the data onto a preprinted form.

The following steps will guide you through a printing process:

Invoke one of the Scan Modes.

PRESS **D** or **I**

PRESS **CTRL U**

All the records in your file will be printed unless the Scan Mask has been altered. When the "end of file" message is displayed:

PRESS **ESC**

The printing will then continue.

Pressing any key will stop the printing of records.

Step 10 Exit DataStar

PRESS **CTRL E E C**

Step 11 Print Files Through The Operating System

There is another way to review and print the contents of your data and index files. To see the contents of your datafile, at your system prompt:


TYPE Type filename .dta

All the records in your data file will be listed on the screen (records longer than the screen will be cut off at the end of each line). *Records that have been marked for deletion will still be listed, but the first character will be removed.* Check your system manual to find out the correct command for printing all your records at the same time.


This is the end of Chapter Four. Turn the page to review the chapter summary.

Chapter Four

Summary

Scan the chapter to review all the new information set off with this symbol . Then read the information below.

Before designing your form you...




Considered the kind of form that would handle your data entry jobs and the kind of layout you needed.

Created a work disk for your files and invoked FormGen.

In FormGen you...

- **Typed your form.**
- **Stored intermediate copies of the form in the FormGen file (CTRL CC).**



Preferred Customer List Fourth Quarter 1981		
Customer #	Amount Purchased	Order Code
Name: _____	9/81 _____	_____
Address: _____	10/81 _____	_____
City: _____ State: _____	11/81 _____	_____
Zip code: _____ Phone: _____	12/81 _____	_____
Total Fourth Quarter \$ _____		

- **Assigned optional attributes. These are then stored with the form in the FormGen file.**

Proceeded to DataStar by pressing CTRL C D.

In DataStar you...

- Entered data that fit the attribute requirement that you assigned in FormGen.
- Stored the entire record in the data file and a copy of the Key field in the index file.

Preferred Customer List Fourth Quarter 1981			
Customer # 111111	Amount Purchased	Order Code	
Name Carl Smith	9/81 \$350	DS-50	
Address 20 Baltimore Ave	10/81 \$150	MM-50	
City Los Angeles State CA	11/81 \$495	WS-50	
Zip code 97272 Phone 7772121	12/81 \$295	CS-50	
Total Fourth Quarter \$1290			

- Retrieved records through these modes:
Data Scan Mode
Select by Key Mode
- Retrieved records by editing the Scan Mask to select a subset of records.

Learned how to modify, delete, and print records.

For more review of the entire DataStar process, review the DataStar User's Map, p. D-7



Chapter Five

Summary of Batch Files and File Maintenance Procedures

Section A: Batch Files



WHAT IS A BATCH FILE?

A Batch File is a group of records that have been entered but have not yet been verified and added to the main data file. Batch processing allows data to be entered by more than one operator and to be verified later by another operator.

Step 1 Start a Batch File

For this chapter we will assume you already have a form for your customer records and that you know how to enter and retrieve records. (If you don't, review Chapter One before continuing.) The following steps will simply outline the procedure for Batch file processing.

Once you have created a form, proceed to DataStar. **Note:** If you want to review each record as that record is verified later on in Batch Verify, make sure that at least one field on your form contains the Sight Verify Attribute.

If your form is a new one, DataStar will present a prompt asking where your files are to be stored. Enter the correct disk drive. DataStar will take your form directly to the Add Mode.

PRESS **CTRL** **E** (to change modes)

SELECT **B** (for Batch files)

If your form is NOT new, simply:

SELECT **B**



Note: You will not be able to write a Batch .ovr file (or Batch .ovr file) if DataStar is not present on your system disk. If Batch .ovr is not there, copy it from the DataStar program disk using the copying utility of your operating system (the PIP program in CP/M systems).

Step 2 Enter Batch Add Mode

Review the illustration below:

ADD MODE	/BATCH A: filename current form=EXAMPLE			
CURSOR:	^A = prev field	^S = left char	^D = right char	^F = next field
	^T = first field	^L = last field		
FIELD EDIT:	^G = delete char	^V = insert hole	^C = copy from	previous record
OTHER:	^Z = restore screen	^U = print form	^O = print data	^J = help on/off
END/EXIT:	^B = end entry	^E = exit current mode		

If your Batch .ovr file is present, you will enter the Batch Add Mode, and two prompts will be displayed:

Enter disk drive (A,B,...) _____
Enter name of batch file _____

The disk drive for your Batch file may be different from or the same as your regular files. You cannot assign a name to your Batch file that you have already assigned (or intend to assign) to your main file. (The form name is now listed on the top right portion of your Status Line.)

TYPE the disk drive

TYPE the file name

PRESS **RETURN** (if Batch file name is less than 8 characters)



BATCH ADD MODE HELP SCREEN

Once you have replied to the prompts, the Status Line will list both your batch file name and your form name.

Add Mode functions as usual. Enter your data on your form. When data entry is complete, use the following commands to store records in the batch file (not in the main data and index files).

PRESS **CTRL** **B** (for end of entry)

PRESS **RETURN** (to store the record)

When all records have been entered:

PRESS **CTRL** **E** (to get to the Mode Selector List)

Once you've added records to a batch file, you must perform this next step to tell DataStar that the batch file will be added to the main file after verification.

PRESS **R**

DataStar will then take you to Add Mode. Use the following command to exit DataStar.

PRESS **CTRL** **E** **E** **C**

Your Batch file will not be verified, calculations will not be performed, nor will these records be merged into the main file until you have completed batch verification.

Step 3 Verify Batch Files

Once you have entered all your records in the batch file you can verify them or exit DataStar and verify them later. THESE RECORDS WILL NOT BE ENTERED INTO A REGULAR DATA AND INDEX FILE UNTIL THEY HAVE BEEN BATCH VERIFIED.

To verify the Batch file, invoke DataStar with the main file name (if you're not already in DataStar), and use the following procedures.

(If there are no records in the main file, DataStar will go directly to Add Mode, and you must TYPE CTRL E V.)

SELECT V (for Batch Verify)

The Batch Verify help screen will be displayed with these prompts:

Enter disk drive for batch files (A,B...)
Enter name of batch file_____

If you continued in DataStar to this point without exiting, DataStar will remember your batch name and drive. All you need to do is **PRESS CTRL B** to accept the name shown. However, if you exited DataStar after entering your batch file of records:

TYPE the disk drive that holds your batch file

TYPE the name of the batch file

PRESS RETURN

If you select a batch file that doesn't exist, DataStar will create a new batch file and invoke the Batch Add Mode.

If the Batch file is found, the Verify Help Screen will be displayed along with the Batch file name and the current form name.

If any verification attributes have been assigned to any field, your first record will be displayed on the screen, and the cursor will be positioned in the first field that needs verification. When verification has been completed for a given record, the record is inserted into the main data and index files.

If no verification attributes have been assigned to any of the fields on the form, DataStar will complete verification automatically and then flash this message:

**The batch file has been verified
Hit ESC key to enter another batch name**

PRESS ESC

**Your entire Batch file has now been entered in
the main data and index files. Exit DataStar.**

PRESS CTRL E E C

KayproJournal

Chapter Five

Summary of Batch Files and File Maintenance Procedures

Section B: File Maintenance



File maintenance should be performed for the following reasons:

- To reorganize the index file so that all record entry and retrieval will be faster.
- To reclaim dead space on your disk. (Deleted records and the old version of modified records are not actually removed from the disk until file maintenance is performed.)
- To reduce wear on your disk (by maintaining records properly).

Again, this section does not provide details for complete DataStar use. The steps below simply outline the file maintenance procedure. You will need to review Chapter One before using this procedure.

Step 1 Invoke DataStar

Since this procedure can only be used on existing files, you can invoke DataStar at your system prompt.

TYPE DataStar file name

Step 2 Select File Maintenance Mode

At the Mode Selector Screen, select File Maintenance.

PRESS **F**

Step 3 Tell DataStar Where the Files Are

This prompt will be displayed:

Enter disk drive (A/B...) _____
Enter name of batch file _____

The first prompt asks which drive to use for temporary files. In the second prompt a Batch file (in this case) means, "enter the name of a temporary file that DataStar can use for file maintenance." Why not use the file name "Junk"?

TYPE the correct disk drive
TYPE Junk (for name of batch file)
PRESS **RETURN**

Step 4 Begin File Processing

Your records will be flashed on the screen as DataStar processes them.



IMPORTANT:

- You can abort File Maintenance at any time.

PRESS **CTRL E**

- You also have the option of *not* displaying your records on the screen as File Maintenance is performed. To stop the record display:

PRESS **any key** (other than CTRL E)

The last record to be displayed will stay on your screen. If you'd like to restart the display again:

PRESS **any key** (other than CTRL E)

Not displaying the records speeds up File Maintenance.

Step 5 Complete File Maintenance

When file maintenance is complete, this prompt will be displayed.

File Maintenance is complete. Hit ESC key:

PRESS **ESC**

PRESS **CTRL E E C** (to exit)



Appendix A

Attribute List

The following is a brief description of each attribute on the FormGen Attribute List (field definition phase). It is not a complete explanation of any attribute or of the ways different combinations of attributes work together. Turn to Appendix A in the DataStar User's Guide 1.1 for an extensive discussion of all attributes.

Not all of the attributes listed here will appear on your screen. Some selections are only listed on your screen after you have chosen another attribute. (For example, you will not be asked to designate a floating character unless you've previously selected that attribute.)

ATTRIBUTES

1. **FIELD NAME** is selected (typed in) when you want the data field to carry a name as well as a number. A field name is composed of 1 to 32 characters, and may include the numbers 0-9 or spaces. The first character in a name must be A-Z.
2. **FIELD ORDER** is a field identification number. A field order number is automatically assigned when the field is created (the first field to be typed = 001). Unless you assign a new field order number (by typing it in), this is the same order that data will be entered on the form in DataStar. Changing a field's order number automatically causes DataStar to reassign other field order numbers as well as any references to this field.
3. **KEY ORDER** is the order (hierarchy) of the Key fields on a form. (Some forms have more than one Key field). Selecting this attribute means rearranging the order of the Key fields.
 - A. **TIE BREAKER FIELD** is a Key field for which DataStar supplies the information (no operator entry). Selection of this attri-

bute means DataStar will calculate and enter the lowest possible number to create a unique Key field.

B. REFUSE DUPLICATE KEYS is an attribute used to create files with unique keys (Key fields). When this attribute has been assigned, an operator cannot enter a record with the same Key field data as another record.

4. COPY ATTRIBUTES OF FIELD is assigned when you want one field to contain EXACTLY THE SAME attributes as another field (saves typing work). To assign this attribute you type in the number of the field which has the attributes to be duplicated.

5. FIELD DERIVED is assigned when you want DataStar to supply the information for the field (no operator entry). DataStar can derive data to be placed in a field by calculating (adding, subtracting, etc.) values found in other fields, or by looking up the information in a separate file.

A. ALLOW OPERATOR ENTRY is assigned if you want an operator to be able to adjust information in a derived field (although DataStar has supplied the information).

B. CALCULATED/FILE is assigned to designate "how" a field should be derived: file means DataStar will gather the information by accessing a separate file (see page A-7), and *calculated* means DataStar will derive the value from other fields (e.g., add fields together).

*(1.) INDEX FIELD NUMBERS means type in the number of the field (on this form) that contains the necessary information to direct DataStar to a reference file.

*(1.) and (2.) are only used with the "File Derived" Attribute:

- * (2.) ITEM NUMBER IN THE FILE means type in the number of the field that contains information you want DataStar to gather from an existing record, in a reference file.
- (3.) VERIFY/CALCULATE ORDER is used to assign a special sequence for calculating the contents of a field. This ordering is only important when the calculation for one field depends on the results found in previous fields.
- (4.) NUMERIC/STRING is assigned to tell DataStar "how" the data should be calculated for a field. A Numeric assignment (N) manipulates numbers, and a String assignment (S) manipulates character strings.
- (a.) ENTER STRING EXPRESSION FOR FIELD tells DataStar what string expression to use when calculating data for this field. A "string expression" may combine fields or parts of fields (characters).
- (b.) ENTER ALGEBRAIC EXPRESSION FOR FIELD CALCULATION tells DataStar how to calculate the numeric (N) information. An algebraic expression may contain fields (their names or field numbers) and number constants, combined with arithmetic operations.

- (c.) **INTERMEDIATE FIELD** is assigned when you want to designate a *temporary field* which will hold partial results in complicated calculations or information from a reference file. This field then appears on your screen during the data entry process but *will not be stored in the files with your other data.*
- C. **REQUIRED** is assigned when you do not want a field to be left blank.
6. **RIGHT JUSTIFY** determines on which side of the field data will be entered. A **Y** answer here means data entered will be aligned from the right.
7. **PAD FIELD CHARACTERS** can be used to extend fields to their full length.
- A. **ENTER PAD CHARACTER** is used to designate the character to use for padding (e.g., 0).
8. **FLOATING CHARACTER** is used to assign a character to float on the left or right of all entered data.
- A. **ENTER FLOATING CHARACTER** is used to designate the character you want to use for floating (e.g., \$).
9. **VERIFY FIELD** is assigned when you want DataStar to require verification of the contents of a field before storing the information in the data file. There are three types of Verify Attributes you can assign.
- A. **SIGHT/RETYPE/FILE** are the three verification options. Assigning **S** means an operator will be asked to "sight" verify the information in this field. Assigning **R** means DataStar will clear the field, and an operator will be required to retype the information. The retyped information must be identical to what was

there before, or DataStar will repeat the process until the information matches. Assigning F means DataStar will check the field against a separate file.

Items (1.-4.) are associated with the File Verify Attribute:

- (1.) **KEEP FILE IN MEMORY DURING DATA ENTRY** is assigned when a reference file is small enough to fit in memory. This is a great timesaving facility; use it when you can.
- (2.) **ENTER FILE NAME** is used to enter the name of the reference file that DataStar should access.
- (3.) **ENTER FILE DISK DRIVE** is used to designate the disk drive where the reference file can be found. When possible, use the logged disk.
- (4.) **ENTER FILE KEY FIELD NUMBER** is used to designate which field DataStar should use to select a record within the accessed reference file. You must use the reference file Key field and it must be exactly the same length as the Key field in the record you're accessing.
- (5.) **BATCH VERIFY** is assigned to designate the order in which verification and calculation should occur. Both the verify and calculate procedures occur at the end of the data entry, in the Verify Mode.

10. CHECK DIGIT is an attribute that can be assigned to a numeric field when you want all data entered there to be divisible by 11. DataStar will automatically check that the data is divisible by 11.
11. RANGE CHECK is assigned to assure that any data entered in this field falls within a certain range.
 - A. ENTER/CHANGE THE MINIMUM FIELD VALUE assigns the smallest acceptable value that may be entered.
 - B. ENTER/CHANGE THE MAXIMUM FIELD VALUE assigns the largest acceptable value that may be entered.
12. EDIT MASK is assigned to control *what kind* of data is entered into a field and *how* that data is entered on a character-by-character basis. (The mask filters out incorrect data.)
 - A. ENTER/CHANGE THE ENTRY CONTROL MASK allows you to designate (for each character in the field) whether or not data should be entered in the field, and whether data is constant or automatic copy.
 - B. ENTER/CHANGE THE CONTENT CONTROL MASK designates the kinds of characters that will be allowed in the field.
13. RECORD EDIT CHARACTERS allows you to save pad, float, or constant characters as part of the data.

End of attribute list (field definition phase of DataStar).

USING THE FILE DERIVED ATTRIBUTE:

(Note: File Derived was called List Derived in previous versions of DataStar)

When you assign the File Derived Attribute, you must have a reference file from which DataStar can derive data. There are two ways to set up a reference file:

1. Convert existing files to the DataStar file format.
2. Create new files using FormGen and DataStar (see page 2-14 and page 2-15 in the DataStar User's Guide 1.1).

Next you must designate those fields that will be File Derived and one field to act as an *index* into the reference file.

In the Order Form below, the BILL TO fields are File Derived, and the CUSTOMER # field is the index *into* the reference file (i.e., tells DataStar where to go to gather information for the BILL TO fields).

Any field that acts as an index must contain the File (List) Verify Attributes, and must be exactly the same length as the corresponding key field in the reference file.

Listed below the Order Form are all the attributes assigned to these interdependent fields: BILL TO and CUSTOMER #.

Order Form

Order #:	1	Date (M/Y/D):	2/3/4	Customer #:	5
Bill to:	6	Ship to:	11		
Address:	7	Address:	12		
City:	8	City:	13		
State:	9	State:	14	Zipcode:	15
Zipcode:	10				
P.O. #:	16	Ship via:	17	Terms:	18
Quantity	Product	Description	Unit Cost	Total Cost	
19	20		21	22	23
24	25		26	27	28
Tax Rate:	29%	Sales Tax:	30	Total:	31

Attribute Assignments
Field Derived? Y
Calculated/File? F
Index field number: 005
Item number in list: 001

Attribute Assignments
Required? Y
Right Justify? Y
Verify Field? Y
Sight/Retype/File? F
Enter file name: Customer
Enter file disk drive: -
Item number of field: 001
Verify/Calculate Order: 002
Edit Mask? Y
Content Control: 0-9 only

Appendix B

Error Messages

Section 1: The following is a list of error messages that may be displayed (near the top of your screen) at any time during the form-creation process. For your convenience, the messages are alphabetized according to the first word. (The symbol ^ means CTRL.)

At column limit. B ignored. Hit ESC key:

The maximum number of columns allowed is 255. Remove some blank or unnecessary columns from your form.

At line limit. N ignored. Hit ESC key:

The maximum number of lines allowed is 255. Remove some blank or unnecessary lines from your form.

Cannot delete last column. Hit ESC key:

A minimum of one column must exist at all times. This message will be displayed when CTRL T is entered to remove the only remaining column.

Cannot delete last line. Hit ESC key:

A minimum of one line must exist at all times. This message will be displayed when CTRL Y is entered to delete the only remaining line.

**Can't read form definition file.
Replace system disk, type RETURN:**

Indicates hardware problem, serious program bug, or that you've entered a file name that is not a form definition file.

Cursor is not in a field.^_ignored. Hit ESC key:

Either CTRL K, CTRL R or CTRL Z were entered when the cursor was not located in a field. Press ESC, move the cursor *INTO* the desired field, and enter the command again.

Directory full.

Replace system disk, type RETURN:

The maximum number of files already exists on the disk. Move some files off to another disk to make room. This action is rarely necessary since the number of files on a disk usually doesn't change during FormGen operation. A space problem may arise, however, when you are creating a new form or when you are increasing the size of a form beyond 16K.

Disk full.

Replace system disk, type RETURN:

Move some files off to another disk to make room. Before you begin to create a new form, always check how much space is available on your disk. If you attempt to save a new form and get this message, you may lose many hours of work because the only way to recover from this condition is to reboot the system. Use the Form Save and Continue command (^CC) frequently as you work to avoid losing an entire form.

Insufficient memory.

Replace system disk, type RETURN:

There is not enough memory present in the system to read the form definition file into memory. This condition should only occur if memory has been removed from your system since the form was created, or if you are using a version of FormGen that is different from the one used to create the form. This condition could also occur if you changed versions of your operating system. Restore the system to its original configuration, and use FormGen to delete portions of your form, thereby reducing the memory requirements.

Not enough memory, ^_ ignored. Hit ESC key:

This message will occur if CTRL B, CTRL N, CTRL Q or CTRL R is entered when there isn't enough memory left to execute the specified operation.

Possible fatal program error.

Please report occurrence, ^_ignored. Hit ESC key:

This message should never appear. If it is displayed, and if you can re-create the occurrence, please contact your dealer or MicroPro International. If the error is specific to your form, please include a copy of the form.

The maximum number of fields is 245, ^_ignored. Hit ESC key:

This message will be displayed if CTRL Q is entered to create another field after field #245, or if an attempt is made to split an existing field after the maximum number of fields has been created.

^_ Unimplemented control character. Hit ESC key:

The wrong control character was entered. Press ESC and enter another character.

*****WARNING: Edit mask or range limits may need revision. Hit ESC key:**

If you attempt to change the size of any data field that contains an Edit Mask or Range Check Attribute, this message will be displayed. Recheck your attribute assignment for this field.

Section 2: The following is a list of error messages that may be displayed during the *attribute assignment* (field definition) process:

A . This message can appear anywhere in the attribute assignment (field definition) process:

Illegal character. Hit ESC key:

Most of the responses to the field definition (Attribute) queries are limited to certain characters; not all characters are accepted in the query responses. In many cases, the range of valid responses is given in parentheses after the query; otherwise, the set of legal characters is given in Appendix A of the DataStar User's Guide 1.1.

- B. The following error messages can appear during Field Calculated Attribute Assignment process:

Illegal operand. Item must be a field between #001 and # _____, or a constant using only the digits 0 through 9, and optional decimal point and leading minus sign, or a valid field name. Hit ESC key:

An illegal numeric operand has been assigned. This message may appear because:

1. The field number is greater than the number of fields, or is 0.
2. An illegal constant is used.
3. There is a missing operand (two operands in a row, or two "joins," &&, in a row, or the first character of an expression is the join character).

Illegal operand. Item must be a field between #001 and # _____, or a literal enclosed in quotes, or a valid field name. Hit ESC key:

This message appears when an incorrect field number is entered for a string calculation. The cursor will be positioned at the incorrect operand. This error may occur when:

1. The field number is greater than the number of fields or is 0.
2. There are invalid subfield representations.
3. The character string is not enclosed in quotes.
4. The operand is missing — you either have two "joins" (&&) in a row, or the first character of an expression is the join operator.

Illegal operator. Item must be &. Hit ESC key:

The only legal operator for string expressions is &. Delete the incorrect operator and enter &. This condition occurs whenever the first character following a legal string operand is not &.

Illegal operator. Item must be + - * / ^ . Hit ESC key:

The only legal numeric operations are add (+), subtract (-), multiply (*), divide (/), and expo-

nentiate (^). This condition will occur whenever the first character following a legal numeric operand is not one of the allowed symbols.

Unclosed left parenthesis. Hit ESC key:

The right parenthesis is missing and must be inserted or the left parenthesis removed. This condition should be easy to spot and correct by rechecking the parentheses. If there are more right parentheses than left, the illegal operator message will be displayed.

Section 3: The following error messages may be displayed after CTRL C is entered to store a form. Although FormGen will store the form, DataStar will *not* run it until the errors have been corrected. The list has been alphabetized according to the first word in each Error Message.

000 Field must be defined as "file verify" since field #xxx references it.

This condition will occur when a data field is defined as file derived, and the associated index field has NOT been assigned the File Verify Attribute. See section 2.06 in the DataStar User's Guide 1.1 for more information about the requirements of file derived data fields.

000 Illegal character(s) in the content control word.

The content control word is assigned under the Edit Mask Attribute during the edit mask queries (see Appendix A, DataStar User's Guide 1.1). This condition can arise in the following sequence of events: a constant was specified in response to the entry control query; an otherwise illegal character was specified to be used as a constant in the content control query step; the constant was removed from the edit control mask, but the constant character was not removed. To correct this condition, position the cursor in the field, type CTRL R, and proceed through the attribute list to the Edit Mask. Then remove the constant or replace the quotation marks.

000 Incomplete expression for calculated field.

This message will be displayed if you assigned a Field Calculate Attribute but did not enter the calculation expression, or if a data field referenced by the expression was subsequently deleted. To correct, either enter the missing expression or replace any "???" in the expression with a valid field reference.

000 Invalid range check limits.

If the maximum value allowed is smaller than the minimum allowed value, this message will be displayed. To correct, position the cursor in the field, press CTRL R, and proceed to the range check query. Reenter the minimum or maximum allowed values.

??? Key length is greater than 120 characters.

The maximum key length is 120 characters. This condition will occur when too many fields in the form have been designated as Key fields or the designated Key fields are too long. To correct, either use CTRL K to remove some Key fields, or reduce the lengths of one or more Key fields.

000 No file name specified for verify file.

This message will appear when a data field has been assigned the File Verify Attribute, but the file containing the list of legal values was not named in the definition process. As a consequence, DataStar will not be able to verify the values entered into the field. To correct, position the cursor in the field, press CTRL R, and proceed through the attribute list to "Enter list file name" under the Verify Attribute. ENTER the correct file name.

??? No key field has been established.

This message will appear if the form has no Key field. To correct, position the cursor in the chosen field and press CTRL K.

000 Unspecified index for a file derived field.

Every file derived data field must also have an associated index field on the same form. The purpose of the index field is to name the file that DataStar should access to derive the information for the file derived data field. If there is no index field, DataStar will not know where to find the information. See section 2.06 of the DataStar User's Guide 1.1 for more information.

000 Unspecified Verify/Calculate Order.

This condition may occur for one of two reasons:

A Y answer was given for the "Verify?" query, but the designer did not go far enough through the query sequence to specify a verify/calculate order; or there are more than 255 verifications or calculations to be performed.

If no order was specified, press CTRL R to begin the attribute list, press RETURN until the verify/calculate order query is reached, then enter a proper response. If there are more than 255 verifications or calculations to be performed, reduce the total number to less than 255.

Appendix C

Sample Forms

The forms on the following pages are provided as design aids. Each form shows a different kind of application as well as some of the problem solving features of DataStar.

Below each form we have listed suggested attribute (data field characteristics) assignments for several data fields. These attribute suggestions are provided to show you how DataStar can do much of the data entry work for you.

For details on attributes, read Chapters Two and Three and Appendix A in this Guide.

Key Field

SALES COMMISSION RECORD		THOMAS PRINTING CO.		SALESMAN I.D.	
SALESMAN LAST NAME:		1 FIRST		2	
CUSTOMER (ABBREV)	ORDER DATE	ORDER NO.	CHARGE (NO TAX)	COMMIS (SEE TBL)	TOT. COMMIS THIS YEAR
3	4	5	6	7	8
9	10	11	12	13	14
15	16	17	18	19	20
21	22	23	24	25	26

Attributes

Assign the File Derived Attribute to ALL three fields here and DataStar will gather this data (from a reference file that you create) and automatically supply the correct information in these fields. (See Appendix A.)

Use the customer field on this form as an index into the reference file.

Attributes

Assign the Field Derived by Calculation Attribute to both these fields. You provide an algebraic expression, DataStar will supply the data for you.

Key Field

ACCOUNTS PAYABLE INVOICE ENTRY			
Payee:	1	Invoice Number:	2
Check date:	3	Invoice Date:	4
Check Number:	5	Amount:	6
Account Number:	7	P.O. Number:	8
Description:	9		

Required
Edit Mask A-Z only
Sight Verify

Required
Numbers only
Retype verify

File derived
(use Payee as index)

Attribute Assignments

High volume data entry tasks such as invoice filing can be handled with DataStar's Batch File feature.

JOB QUOTE THOMAS PRINTING SERVICE			
CUSTOMER CO.		DATE	1
CALLER'S NAME		TIME	3
		PHONE	5-6
QUANTITY	DESCRIPTION	PRICE	
* 7		8	9
* 10		11	12
* 13		14	15
* 16		17	18
SPECIAL INSTRUCTIONS		SUB-TOT.	19
		SALES TAX	20
		21 TOTAL	22
		23 TAKEN BY	24

Required
Sight verify
Edit Mask
Must enter
A-Z only

File Derived

Derived by Calculation

Attribute Assignments

EMPLOYEE RECORD THOMAS PRINTING SERVICE			
NAME (L. F. M.)		2 HIRED (M/Y/D)	1
JOB TITLE		4 PHONE	3
ADDRESS		6 STATE	5
CITY		7 ZIP	8
SOC. SEC. #	9	BIRTHDATE (M/D/Y)	10
MARITAL STATUS:	SINGLE*	MARRIED*	11
NAME OF SPOUSE		WIDOWED*	12
EMERGENCY NOTIFY		DIVORCED*	13
EDUCATION: ELEM.		15 NO DEPENDENTS	14
SALARY: HOURLY \$		16 REL	15
GRP HEALTH		17 PHONE	16
DATE TERMINATED (M/Y/D)		18	17
		19	18
		20	19
		21	20
		22	21
		23	22
		24	23
		25	24
		26	25
		27	26
		28	27
		29	28
		30	29
		31	30
		32	31
		33	32
		34	33
		35	34

Attributes
Required
Edit Mask A-Z only
Sight verify

For other fields that need the same definition,
assign the third attribute, Copy Attributes of Field

Attributes
Range check
Numbers only

Room Register		Goodnite Hotel	
Room #	Occupied	Vacant	
	mo day yr	mo day yr	
Current Customer:			
Address:		City:	
State:		Country:	
Credit Card Name and Number:			
Daily Rate \$	Weekly Rate \$	Date Vacated	Total Days
Total Phone \$	Total Room Service \$	Tax Rate	Balance Due

Attributes
File (List) Derived
Floating characters
Numbers only

Attributes
Required

Attributes
Derived by Calculation
Numbers only

Sample DataStar Applications

- legal document system
- inventory lists
- rare book collections
- personal datebook
- professional appointment schedules
- film library catalogue
- expense reports
- course and seminar registration
- advertising agency traffic management
- delivery schedules
- ticket and seating services
- job scheduling
- receivable system
- membership lists
- hotel/motel reservations
- exhibitor lists
- real estate listings
- shipping schedules
- business contacts
- special events schedules
- construction job costing
- campaign contributions
- headhunter executive lists
- billboard scheduling
- car lot inventories

Appendix D

Quick Guides to DataStar

This section contains several pages of quick guides and a DataStar User's Map. While the quick guides do not cover the entire DataStar system, they can be used as reminders of the most used procedures.

For your convenience, the guides are printed on card stock, with reference charts on both sides. The horizontal format provides a means to set the guides alongside your terminal, using your binder as a kind of easel.

USING FORMGEN TO DESIGN A FORM (General Procedures)

DataStar Quick Guide

CARD 1

HOW TO		SCREEN DISPLAY	TYPE OR PRESS	COMMENTS
BEGIN FORMGEN PROGRAM (Form design procedures)	1	A> (Or Operating System prompt for drive containing Formgen)	F O R M G E N RETURN (Or see Comments A or B)	A. To bypass Step 2, enter the following at Step 1: FORMGEN SPACE formname RETURN B. To create form in B Drive, enter the following at Step 1: FORMGEN SPACE B: formname RETURN
	2	PROMPT: Enter name of form . . .	formname RETURN	A formname may be 1 to 8 characters in length.
	3	HELP SCREEN 4 (Explains how to create a form)	CTRL J (Rotates display to any Formgen HELP SCREEN)	Reminder: Hold down CTRL key while typing J . (Holding down CTRL key gives letter keys special functions.)
DESIGN A FORM		HELP SCREEN 3, 2, or 1 (^ symbol on Help Screens means hold down CTRL key)	(Design your form)	A form consists of background text (such as Data Field labels) and Data Fields. Use the <u>underline</u> key or CTRL Q to create the Data Fields. Example: LAST NAME: _____
ASSIGN KEY FIELD (At least one Key Field is required)		HELP SCREEN 3, 2, or 1, & Form	CTRL K	Cursor must be located in Data Field selected as a Key Field. (You will be able to access your records later by Key Field.)
OPTIONAL ASSIGN ATTRIBUTES (If desired, to give special characteristics to one or more Data Fields)	1	HELP SCREEN 3, 2, or 1, & Form	CTRL R	Cursor must be in Data Field selected for attribute assignments. ("Define field" and "field definition" also refer to this procedure.)
	2	HELP SCREEN R; A few lines of form; PROMPT: Field name:	(Assign a Field Name, or press RETURN to display next attribute option on list)	A. Follow same general procedure throughout list of attribute options: To assign, enter appropriate response; to pass, press RETURN . B. End attribute assignments procedure any time by entering CTRL C .

USING FORMGEN TO DESIGN A FORM (General Procedures)

DataStar Quick Guide

CARD 2

HOW TO	SCREEN DISPLAY	TYPE OR PRESS	COMMENTS
OPTIONAL PRINT FORM & ATTRIBUTE DETAILS	HELP SCREEN 3, 2, or 1. & Form	CTRL W	<p>A. Printouts will include form with Data Fields numbered and 1 to 4 more parts, depending on which attributes were assigned.</p> <p>B. To stop full printing cycle at any point, press SPACEBAR 5 times (or 1 time per part to be bypassed).</p>
SAVE FORM & CONTINUE	HELP SCREEN 3, 2, or 1. & Form	CTRL C C	Saves work done so far.
SAVE FORM & CHAIN TO DATASTAR	HELP SCREEN 3, 2, or 1. & Form	CTRL C D	You may begin entering data to produce a record in ADD MODE after chaining (proceeding) to Datastar (see CARD 3 "BEGIN" procedures).
EXIT TO OPERATING SYSTEM & SAVE FORM	HELP SCREEN 3, 2, or 1. & Form	CTRL C B	Use this procedure when you plan to be away from your terminal for a while, or when you have completed a form.
ABORT FORM	1 HELP SCREEN 3, 2, or 1. & Form	CTRL C A	<p>To avoid loss of work you have not saved, this procedure required confirmation. (Step 2.)</p> <p>(If you are sure you want to abandon current work, enter CTRL C A Y to bypass confirmation prompt.)</p>
	2 PROMPT: Abandon form edit? (Y/N)	(See Comments)	Enter Y (Yes) to abandon your work, or N (No) if you change your mind.

USING DATASTAR TO PRODUCE A RECORD (General Procedures)

DataStar Quick Guide

CARD 3

HOW TO	SCREEN DISPLAY	TYPE OR PRESS	COMMENTS
BEGIN DATASTAR PROGRAM (Data entry procedures)	A> (Or Operating System prompt for drive containing Datastar Program)	D A T A S T A R SPACEBAR formname RETURN	You may also proceed (or "chain") to Datastar from the Formgen program (see CARD 2). [Note: The ADD MODE Help Screen and the MODE SELECTOR LIST are reproduced on the back of CARD 4.]
IF RECORDS OR DATA FILES DO <u>NOT</u> EXIST FOR THIS FORM	2A 2 PROMPTS: Enter disk drive for data file. . . Enter disk drive for index file. . .	(A, B, or letter for drive you select)	This step is required only before the first record (or data file) is produced for a given form. Step 2B will then be bypassed.
IF RECORDS OR DATA FILES DO <u>EXIST</u> FOR THIS FORM	2B MODE SELECTOR LIST: Empty form	SPACEBAR	The data on a form becomes a record after you fill in the blank Data Fields and save the record on a disk.
BEGIN DATA ENTRY	ADD MODE Help Screen & Form (^ symbol on Help Screens means hold down CTRL key)	(Enter data. Note: Cursor may skip over some Data Fields. See Comments.)	Depending on how the form designer defined each Data Field with attributes, certain entries may appear on screen automatically; etc. (Form designer should provide you with special instructions, if needed.)
END DATA ENTRY	ADD MODE Help Screen: Filled-in form	CTRL B	If Datastar finds certain errors in your entries (depending on attributes assigned), it will display an error message. Respond to screen prompt, correct errors, then save the record (next step).
SAVE THE RECORD	PROMPT: Hit RETURN to file entered data. . .	RETURN	An empty form will be displayed. Begin data entry to produce another record, or exit (see CARD 4).

USING DATASTAR TO RETRIEVE, MODIFY, SCAN, OR PRINT YOUR RECORDS (General Procedures)

HOW TO		SCREEN DISPLAY	TYPE OR PRESS	COMMENTS
Retrieve Or Modify One Record	1	ADD MODE Help Screen; Empty form	CTRL E K	This is the fast way to go from ADD MODE to LOCATE KEY MODE. (REMINDER: You may also change Modes at the MODE SELECTOR LIST. To display the MODE SELECTOR LIST, enter CTRL E while in any Mode, then select the Mode you want.)
	2	LOCATE KEY MODE Help Screen; PROMPT: PLEASE ENTER KEY; Empty form [Note: Cursor will be located in a Key Field automatically]	(Enter Key Field data)	EXAMPLE: To retrieve a record Keyed (indexed) by "Last Name," type appropriate name, such as "Baugh": Complete record for Mr. Baugh will be displayed. You may modify record, print it, etc.
Print One Record		LOCATE KEY MODE Help Screen; Retrieved record	CTRL U	To print data only (no background text), enter CTRL O instead of CTRL U .
Scan Or Modify All Records In File		Add MODE Help Screen; Empty form	CTRL E D	Screen will display SCAN MODE (D) Help Screen so you can scan or modify records in Data file order. (Or, enter CTRL E I for Index mode so you can scan or modify in Index file order.)
Print All Records In File (NOTE: Stop printing in progress by pressing any letter key.)	1	SCAN MODE (D) or (I) Help Screen; Any record in file	CTRL U	To print data only (no background text), enter CTRL O instead of CTRL U .
	2	PROMPT: End of file Hit ESC key to continue scan:	ESC	Printing resumes from beginning of file: To stop printing cycle, press any letter key.
Exit (To Operating System)		Any Mode; Any record	CTRL E E C	This is the fast way to exit from Datastar. You may also exit through MODE SELECTOR LIST.

Add Mode Help Screen

ADD MODE	current form =ORDER			
CURSOR:	^ A =prev field	^ S =left char	^ D =right char	^ P =next field
	^ T =first field	^ L =last field		
FIELD EDIT:	^ G =delete char	^ V =insert hole	^ C =copy from previous record	
OTHER:	^ Z =restore screen	^ U =print form	^ O =print data	^ J =help on/off
END/EXIT:	^ B =end entry	^ E =exit current mode		

Mode Selector List

ADD MODE	current form =formname		
Enter character to select new mode:			
A =Add new records	K =select records by KEY	E =Exit current form	
I =SCAN in Index order	D =SCAN in Data file order	M =edit scan Mask	
B =select Batch file	V =Verify batch file		
P =File maintenance	J =Help	SPACE =current mode	

The illustration for DataStar
Map Key (Page D-7) is located
in the back of this manual.


Appendix E

The MicroPro Family of Products

In working through this training guide, you've gained experience with DATASTAR'S flexible entry and retrieval capabilities. As you can see, DATASTAR alone is a powerful business tool. Used in conjunction with other products offered by MicroPro, DATASTAR becomes even more powerful.

MicroPro has designed all of its programs so that they can combine forces and accomplish a wide variety of practical tasks. The files you create with DATASTAR are compatible with WORDSTAR, MAILMERGE, SUPERSORT, and SPELLSTAR. Therefore, you can enter data once, in DATASTAR, and then use your files for many different applications, a few of which are outlined below. Furthermore, when you do extensive calculations with CALCSTAR, DATASTAR will enable you to access the data and use it for other purposes.

The illustration below shows how DATASTAR files relate to other MicroPro programs.



Let's look at some examples of how DATASTAR can be used with other MicroPro products.

Perhaps you are using an Invoice Form like the one below. (This is similar to the form you worked with in Chapter 2 of this Guide.)

Invoice Form

Date		Customer Number	
Title	First and Middle	Last Name	
Address	City	State	Zip
() Area Phone	Previous Balance	Amount Charged	Balance Due

After entering records using the above form in **DATASTAR**, you have created a data file (.dta) like the following:

Invoice.dta

02/24/82,7,Ms.,Lydia Esther,Womack,8993 Cherry Ave,San Leandro,CA,
94532,415,899-3400,12.89,1.98,14.87
02/16/82,5,Ms.,Annette L.,Robinson,1322 Blue Ridge Dr.,San Diego,CA,
98443,714,399-5899,12.34,5.99,18.33
02/25/82,8,Mr.,Gerald R.,Franklin,87 Willow Ave,Gunnison,CO,
85399,303,390-4879,33.67,33.67,67.34
02/03/82,1,Mr.,Jeffery M.,Jefferies,622 Virginia Hills,Denver,CO,
67788,303,372-9999,23.45,55.44,78.89
02/17/82,6,Mr.,Roland M.,Robinson,1745 Navajoe Rd.,San Francisco,CA,
94720,415,372-6590,234.77,89.45,324.22
02/13/82,4,Mr.,James Peter,Livingston,3354 Main Street,San Rafael,CA,
95663,415,893-5599,454.33,15.00,469.33
02/15/82,3,Ms.,Ester,Williams,724 West Broadway,Pueblo,CO,
68833,303,228-6648,458.99,230.00,688.99
02/06/82,2,Dr.,Carl C.,Chester,1808 Oak Hill Dr.,Alhambra,CA,
94553,213,372-8899,287.99,645.78,933.77

You can access this same data for a wide variety of uses by linking it with other **MicroPro** software programs. Here are some examples:

SUPERSORT can sort your invoice .dta file by date, helping you to keep track of which customers are up to date or delinquent in their payments.

Sorted by Date

02/03/82, 1. Mr., Jeffery M., Jefferies, 622 Virginia Hills, Denver, CO,
67788, 303, 372-9999, 23.45, 55.44, 78.89
02/06/82, 2. Dr., Carl C., Chester, 1808 Oak Hill Dr., Alhambra, CA,
94553, 213, 372-8899, 287.99, 645.78, 933.77
02/13/82, 4. Mr., James Peter, Livingston, 3354 Main Street, San Rafael, CA,
95663, 415, 893-5599, 454.33, 15.00, 469.33
02/15/82, 3. Ms., Ester, Williams, 724 West Broadway, Pueblo, CO,
68833, 303, 228-6648, 458.99, 230.00, 688.99
02/16/82, 5. Ms., Annette L., Robinson, 1322 Blue Ridge Dr., San Diego, CA,
96443, 714, 399-5899, 12.34, 5.99, 18.33
02/17/82, 6. Mr., Roland M., Robinson, 1745 Navajoe Rd., San Francisco, CA,
94720, 415, 372-6590, 234.77, 89.45, 324.22
02/24/82, 7. Ms., Lydia Esther, Womack, 8993 Cherry Ave, San Leandro, CA,
94532, 415, 899-3400, 12.89, 1.98, 14.87
02/25/82, 8. Mr., Gerald R., Franklin, 87 Willow Ave., Gunnison, CO,
85399, 303, 390-4879, 33.67, 33.67, 67.34

This is just one of the many possible ways in which **SUPER-SORT** can re-sort your data file to help you get the information you want. **SUPER-SORT** can re-sort by *any* field and arrange numeric data in ascending or descending order.

You can use your data file with **WORDSTAR** and **MAIL-MERGE** to create a mailing for your customers.

First, write and edit a letter with **WORDSTAR**, then use **MAILMERGE** to select the names and addresses from the **DATASORT** files. **MAILMERGE** will place this information in the appropriate places on both the letter and the envelope.

Sample Letter

March 5, 1982

Ms. Ester Williams
724 West Broadway
Pueblo, CO 68833

Dear Ms. Williams:

According to our records, you made a purchase on February 15, 1982 of \$230.00. This amount plus your existing balance of \$458.99 brings your current balance to \$688.99.

The terms of your account provide for a \$500.00 maximum credit. Please send payment today to bring your account within these limits.

Sincerely,

Lawrence Baker
Vice President, Marketing

LB/ls

Sorted by Zip Code

02/03/82,1,Mr.,Jeffery M.,Jefferies,622 Virginia Hills,Denver,CO,
67788,303,372-9999,23.45,55.44,78.89
02/15/82,3,Ms.,Esther,Williams,724 West Broadway,Pueblo,CO,
68833,303,228-6648,458.99,230.00,688.99
02/25/82,8,Mr.,Gerald R.,Franklin,87 Willow Ave.,Gunnison,CO,
85399,303,390-4879,33.67,33.67,67.34
02/24/82,7,Ms.,Lydia Esther,Womack,8993 Cherry Ave,San Leandro,CA,
94532,415,899-3400,12.89,1.98,14.87
02/06/82,2,Dr.,Carl C.,Chester,1808 Oak Hill Dr.,Alhambra,CA,
94553,213,372-8899,287.99,645.78,933.77
02/17/82,6,Mr.,Roland M.,Robinson,1745 Navajoe Rd.,San Francisco,CA,
94720,415,372-6590,234.77,89.45,324.22
02/13/82,4,Mr.,James Peter,Livingston,3354 Main Street,San Rafael,CA,
95663,415,893-5599,454.33,15.00,469.33
02/16/82,5,Ms.,Annette L.,Robinson,1322 Blue Ridge Dr.,San Diego,CA,
98442,714,399-5899,12.34,5.99,18.33

After you've sent your mailing, **WORDSTAR** and **SUPER-SORT** can help you with your monthly reports. To create a table like the one shown below, you can use **SUPERSORT** to select and order the data. Then, the program, following simple instructions, will align the information into columns. Next, you can use **WORDSTAR** to supply the table headings and add lines between rows and columns to clarify your report.

Sample Table

SUMMARY OF FEBRUARY ORDERS				
Date	Customer	Previous Balance	Amount Charged	Total Due
02/03/82	Mr. Jefferies	\$ 23.45	\$ 55.44	\$ 78.89
02/06/82	Dr. Chester	287.99	645.78	933.77
02/13/82	Mr. Livingston	454.33	15.00	469.33
02/15/82	Ms. Williams	458.99	230.00	688.99
02/16/82	Ms. Robinson	12.34	5.99	18.33
02/17/82	Mr. Robinson	234.77	89.45	324.22
02/24/82	Ms. Womack	12.89	1.98	14.87
02/25/82	Mr. Franklin	33.67	33.67	67.34

CALCSTAR can help you, too. If you use CALCSTAR to create an inventory file, you can access that file using DATASTAR.

Should you need to make a recalculation across records, for example a change in the rate of mark up, CALCSTAR will do this task. The quickly prepared update is then available for use by DATASTAR.

DATASTAR is a powerful tool alone. And, as you can see, you'll save time and effort when you use the program in combination with the other products in the MicroPro family.

You can also use SPELLSTAR, the WORDSTAR spelling checker, to scan the letter and find misspellings. By adding your customer list to the SPELLSTAR dictionary, you can even check the spelling of each customer's name.

Corrected Letter

March 5, 1982

Ms. Esther Williams
724 West Broadway
Pueblo, CO 68833

Dear Ms. Williams:

Next, SUPERSORT can help you with your bulk mailing. Using the DATASTAR files, you can sort them once again, this time by Zip Code. Printing done, your mailing will be ready to take to the Post Office.

Index

- A -

Add Mode, 1-8, 1-15, 2-14, 4-16
Algebraic expressions, 3-3
Alignments
 decimal, 4-4
 left justified, 4-4
 right justified, 4-4
Assigning attributes, 2-7, 4-10
Assigning highlighting, 4-8
Assigning Key field, 4-7
Asterisks, 1-6, 1-14, 3-1, 4-21
Attributes, 2-3, 2-5, 3-2, 4-12, A-1
 O-fill, 3-11
 assigning, 2-7, 4-10
 Auto Case-shift, 3-8
 Auto-increment, 3-14
 Batch Verify, A-5
 Calculated/File, A-2
 Numeric/String, A-3
 Intermediate Field, A-4
 Check Digit, A-6
 Constant
 conditional, 3-10, 3-14
 unconditional, 3-14
 Content Control, 3-2
 Copy Attributes, A-2
 Edit Mask, 4-12, A-6, B-3, B-5
 Content Control Mask, A-6
 Entry Control Mask, A-6
 Edit Scan Mask, 1-8, 1-15, 4-21
 Enter Floating Character, A-4
 Entry Control Characters, 2-7, 2-8, 3-2
 automatic copy, 3-6
 constant, 3-6
 unconditional, 3-6
 Field Calculated, 3-6, B-4, B-7
 Field Derived, A-2, A-6, B-7
 Allow Operator Entry, A-2
 Calculated/File, A-2
 Index Field Numbers, A-2

Item Number in File, A-3
Numeric/String, A-3
Verify/Calculate Order, A-3
Field Derived by Calculation, 3-6
Field Order, 2-4, A-1
File Access, 3-7, 3-10
File Derived, A-6
File Verify, 3-12, A-5, B-7
Floating Character, A-4
Intermediate Field, A-4
Key Order, A-1
Refuse Duplicate Keys, A-2
Tie Breaker Field, A-1
Letters Only, 3-8
Name Field, A-1
Numbers Only, 3-9, 4-12
Pad Characters, 3-6
Pad Field, A-4
Range Check, 3-11, A-6, B-3, B-6
Record Edit Characters, A-6
Required, 3-11, 4-11, A-4
Retype Verify, 3-12
reviewing, 3-1, 3-3
Right Justify, 3-7, A-4
Sight Verify, 2-16, 3-14, 5-1
testing, 2-17, 3-5
Verify Field, 2-6, A-4
Sight/Retype/File, A-4
Verify/Calculate Order, A-3

- B -

Background text, I-10, 1-14
Backup file, 4-10
Batch Add Mode, 5-2
entering, 5-2
help screen, 5-3
Batch files, 5-1
starting, 5-1
storing records in, 5-3
verifying, 5-3
Batch Verify, A-5
Batch.com file, 5-2
Batch.ovr file, I-16, 5-2
Buffer line, 4-6

- C -

Calculated fields, 2-10
 sequence of, 4-2
Chaining DataStar, 1-7, 1-14, 2-13
Characters
 constant, 2-3, 3-6, 4-4
 floating, 2-8, 2-10, 2-14
Conditional constant, 3-10, 3-14
Constant Characters, 2-3, 3-6, 4-4
Content Control Attributes, 3-2
Content Control Characters, 2-7, 2-10
Control key, 1-4
Copying
 disks, 1-3
 files, 1-3
CP/M, 1-2
Creating new data fields, 2-2
Creating new data files, 2-13
Creating new index files, 2-13
Creating records, 2-15, 4-18
CTRL B, 1-13
CTRL C, 2-7
CTRL CAY, 1-4, 1-14, 2-2, 2-7
CTRL CB, 1-4, 1-6, 2-7
CTRL CC, 1-6, 2-2, 2-7
CTRL CCB, 1-4
CTRL E, 2-7
CTRL EEC, 1-4
CTRL EI, 4-22
CTRL EV, 5-4
CTRL J, 1-11
CTRL K, 1-6
CTRL Q, 2-2
CTRL R, 2-4, 2-7
CTRL Z, 3-7
Cursor commands, 1-12, 1-2, 1-3
Customer.dta, 1-16

- D -

Data
 entering, 1-9, 4-16
Data fields, 1-10, 1-14, 4-6

- creating new, 2-2
- placement of, 4-2
- Data Scan Mode, 1-11, 1-15, 2-19
- DataStar
 - chaining, 1-7, 1-14, 2-13
 - exiting, 1-4, 2-15
 - installing, 1-7
 - invoking (starting up), 1-4
- Decimal alignment, 4-4
- Default, 3-3, 4-2
- Deleting records, 4-22
- Directory
 - file, 1-4, 1-6
- Disk drive, 1-1
 - logged, 1-2, 2-13
- Disks, 1-1
 - capacity of, 1-3
 - copying, 1-3
 - erasing, 1-3
 - floppy, 1-1, 1-3
 - hard, 1-1
 - system, 1-2
 - work, 1-5, 4-4
- Distribution disk, 1-16

- E -

- Edit Mask Attributes, 4-12, A-6, B-3, B-5
- Edit Mask Characters, 3-4
- Edit Scan Mask, 1-12, 1-15, 4-23
- End of entry command, 1-13, 3-11, 4-21
- End of file message, 1-13
- Enter Exit command, 4-13
- Entering Batch Add Mode, 5-2
- Entering data, 1-9, 4-16
- Entry Control Characters, 2-6, 2-8, 3-2
- Erase command, 1-3, 1-9
- Erasing
 - disks, 1-3
 - files, 1-3, 1-10, 2-20
- Error messages, 1-5, 2-17, 3-7, B-1
- Errors
 - recovering from, 1-2
- Exiting

DataStar, 4, 2-15
FormGen, 4, I-14

- F -

Field Derived by Calculation Attributes, 3-6

Field name, 1-2, 2-5

Field Names, 4-11

Field Order Numbers, 2-4, 2-9, 3-2

Field size, 4-3

Fields

- combination, 4-4

- creating address, 1-3

- creating city, 1-3

- creating name, 1-2

- creating phone, 1-4

- creating zip code, 1-4

- derived, 4-4

- entered, 4-4

- intermediate, 4-11

- Key, 1-5, 1-17, 3-1

File derived field, A-2, A-6, B-7

File directory, I-4

File maintenance, 4-23, 5-7

File maintenance mode, 5-7

Files, I-3, 1-10

- backup, 4-10

- batch.ovr, I-16

- customer.dta, I-16

- data (.dta), 2-13, 4-17, 4-19

- erasing, I-3, 2-19

- form definition, I-9

- index (.ndx), 2-13, 4-17, 4-19

 - creating, 2-13

 - storing, 2-13

- maintaining, 4-23, 5-7

- new data (.dta)

 - creating, 2-13

 - storing, 2-13

- okstates.dta, I-16

- order, I-16

- printing of

 - through operating system, 4-23

- products.dta, I-16

- protecting, 4-5
- reference, A-5, A-7
- temporary, 5-8
- Floating characters, 2-8, 2-10, 2-14
- Form
 - Order, 3-1
 - printing of, 3-1
- Form definition file, I-9, 1-5, 2-2, 4-12
 - errors, B-5
- FormGen, I-4, I-15, 1-7
 - exiting, I-4
 - form definition file in, I-9
 - invoking (starting up), I-4, 1-1, 3-1, 4-5
- Forms
 - Customer, 1-1
 - designing of, 4-1
 - editing of, 4-10
 - Invoice, 2-1
 - Order, A-7
 - renaming, 2-1
 - saving, 2-11, 4-9
 - size of, 4-2
 - storing, 4-12

- G -

- H -

- Help Messages, 3-4
- Help Screens, I-4, I-10, 1-8
 - Batch Add Mode, 5-2
 - Screen 1, I-11
 - Screen 2, I-11, 1-2
 - Screen 3, I-11
 - Screen 4, I-10
 - Screen R, 2-4, 3-3
- Highlighting, 4-8

- I -

- Index
 - reference file, A-7
- Index file, 1-10, 4-7
- Index Scan Mode, 4-21

Installing DataStar, I-7
Invoking FormGen, I-10, 3-1, 4-5

- J -

- K -

Key fields, 4-7, B-6
 assigning, 1-5, 1-14, 4-7
Key Mode, 1-12, 1-15, 4-22

- L -

List Derived, A-6

- M -

Making a work disk, 4-4
Mode Selector Screen, 1-7
Modes, 1-8
 Add, 1-8, 1-15, 2-14, 4-16
 Batch Add, 5-2
 Data Scan, 1-11, 1-15, 2-19
 Edit Scan Mask, 1-12, 1-15
 file maintenance, 5-7
 Index Scan, 4-21
 Key, 1-12, 1-15, 4-22
 Verify, 2-16, 3-12
Modifying records, 4-22
Moving lines, 4-6

- N -

No Match prompt, 4-21
Numeric operand, B-4
Numeric operator, B-4

- O -

Okstates.dta, I-16
Operand, illegal, B-4
Operating system, I-2
 disks for, I-2

printing files through, 4-24
prompts in, I-2
Order form, I-16, 3-1, A-7

- P -

Pad Characters Attributes, 3-6
Pip command, I-3
Printers, I-8
Printing
 files through operating system, 4-24
 forms, 3-1
 records, 4-23
Products.dta, I-16
Prompts, I-4
 Enter Exit command, 4-13
 No Match, 4-21
Protect files, 4-5

- Q -

Quantity field, 3-13

- R -

Range Restrictions, 3-2
Records
 creating, 2-15, 4-18
 creating customer, 1-7
 deleting, 4-22
 modifying, 4-22
 printing, 4-23
 retrieving, 1-11, 2-19, 3-15, 4-19
 retrieving all, 1-11, 2-22, 4-18
 retrieving groups, 1-12, 4-20
 retrieving specific, 1-12, 4-19
 storing, 1-10, 2-16
 storing in batch file, 5-3
 verifying, 2-16
Reference files
 index into, A-7
 setting up, A-7
Renaming forms (REN), 2-1
Retrieving records, 1-11, 2-19, 3-15, 4-19

Index-8

all, 1-11, 2-22, 4-18
groups, 1-12, 4-20
specific, 1-12, 4-19
Reviewing attributes, 3-1, 3-3
Right justify, 2-8, 2-10
Rub, 1-10

- S -

Save command, 1-6, 4-9
Saving forms, 2-11, 4-8
Sight Verify Attribute, 2-16
Starting a batch file, 5-1
Stat, 1-3, 1-7
Status check, 1-3, 1-7
Status line, 1-12, 3-4
Storing forms, 4-12
Storing new data files, 2-13
Storing new index files, 2-13
Storing records, 1-10, 2-16
String expression, B-4
System prompt, 1-2

- T -

Temporary files, 5-8
Testing attributes, 2-17, 3-5

- U -

- V -

Verify Field, 2-6, A-4
Verify Mode, 2-15, 3-12
Verify/Calculate Order, B-7
Verifying batch files, 5-3
Verifying records, 2-15

- W -

Window positioning, 4-2
Work disk, 4-4

